

# HALF YEARLY COMPLIANCE REPORT

AS PER CONDITION STIPULATED IN

**ENVIRONMENTAL CLEARANCE**

**LETTER NO- J-11011/337/2013-IA II (I) Dated 15<sup>th</sup> May 2015 and  
Expansion 22<sup>nd</sup> March 2021**

**COMPLIANCE PERIOD: APRIL 2022 TO SEPTEMBER 2022**

**For**

**Grain based Distillery (120 KLPD) along with Cogeneration Power Plant (3.5 MW) and Expansion of Grain Based Distillery from 120 To 240 KLPD & Co- Generation Power Plant from 3.5 MW To 8.0 MW Within Existing Plant Premises**

**AT**

**PANAGARH INDUSTRIAL PARK, (WBIDC)  
PANAGARH, PURBA BARDHAMAN,  
WESTBENGAL**



**PROJECT PROPONENT**

**M/S GLOBUS SPIRITS LIMITED,  
Plot no B7, Industrial Park, Panagarh, Tehsil Ausgram- II, District  
Purba Bardhaman, West Bengal**

**Project Name: Grain Based Distillery (120 KLPD) along with Cogeneration Power Plant (3.5 MW) at Panagarh Industrial Park, Panagarh, District: Burdwan, West Bengal by M/s Globus Spirits Ltd.**

**Status of Environment Compliance with stipulation as laid down by MoEF& CC vide Letter No. J-11011/337/2013-IA II (I) dated 15th May, 2015**

**Compliance Period: April 2022 – September 2022**

I Operation Phase

A. Specific Conditions

S. No.	Condition of EC	Compliance Status of Action Plan
i)	Distillery unit shall be based on Grain based only and no Molasses based distillery unit shall be operated. The unit will use bagasse if available.	The distillery unit used only Grain based product as a raw material. The grains are easily available from the local market. It is setup 120 KLPD Grain based distillery unit. The unit is not used Molasses based distillery.
ii)	ESP along with stack of adequate height shall be provided to husk/coal fired boiler to control particulate emission within 50mg/Nm <sup>3</sup> . At no time, the emission levels should go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.	The stack height of ESP is 60 m for 35 TPH Boiler to maintain particulate matter (PM) emissions below permissible limits. Online stack monitoring Installed and data is being transferred to CPCB and SPCB. The emission of particular matter of ESP is less than 50 mg/Nm <sup>3</sup> . The online Stack monitoring result is attached as Annexure-I.
iii)	In plant, control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi-cyclone separator and water sprinkling system. Dust suppression system including water	To control fugitive emissions following measures is adopted.  i. The roads within the premises are concrete / paved to avoid vehicular emissions.  ii. All transportation vehicles carry a valid PUC (Pollution under Control) Certificate

S. No.	Condition of EC	Compliance Status of Action Plan
	<p>sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records shall be maintained. The emissions shall conform to the limits imposed by West Bengal State Pollution Control Board (WBSPCB).</p>	<ul style="list-style-type: none"> <li>iii. Proper servicing &amp; maintenance of vehicles is carried out</li> <li>iv. Regular sweeping of all the roads &amp; floors is done.</li> <li>v. Regular water sprinkling system is provided at loading and unloading areas and road to control dust emissions.</li> <li>vi. In the work zone environment, product and raw materials storage area etc. is regularly maintained and provided with closed storage, &amp; conveyance of materials are done by closed conveyors. Adequate green belt shall be developed in the plant area. Green belt act as surface for settling of dust particle and thus will reduce the particulate matter in air.</li> <li>vii. Adequate greenbelt shall be developed in the plant area. Greenbelt acts as surface for settling of dust particles &amp; thus will reduce the particulate matter in air.</li> <li>viii. Coal Storage yard is under covered shed &amp; tarpaulin covering also there for control the fugitive emission</li> <li>ix. Water Tanker are hired at regular basis for controlling the fugitive emission at roads, loading unloading points and others areas of plant premises.</li> <li>x. Regular basis sweeping at the internal roads of plant premises, housekeeping at the rooms and others office areas is maintained.</li> <li>xi. Ambient air quality is regular interval is monitored</li> </ul>
iv)	<p>Pucca approach road to project site shall be constructed prior to commencing</p>	<p>Pucca approach road has been constructed from NH-2 to main distillery unit. The area</p>

S. No.	Condition of EC	Compliance Status of Action Plan
	construction activity of the main distillery so as to avoid fugitive emissions.	is construction by West Bengal Industrial Development Corporation Limited. Factory inside road has also been constructed as RCC for avoid fugitive emissions. The portion of pucca road from NH-2 to main distillery unit photograph is attached as Annexure-II.
v)	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB guidelines. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	One D.G. set of 1250 KVA with acoustic enclosure is installed for the power backup. The stack height of the D.G. set is maintained building as per CPCB norms. The result of ambient noise at the project sites and nearest DG Room is attached as Annexure-III. Its also compare with CPCB current norms.
vi)	The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the WBPCB. The levels of PM <sub>2.5</sub> , PM <sub>10</sub> , SO <sub>2</sub> , NO <sub>x</sub> , CO and HC (Methane) in ambient air shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.	Ambient air quality result attached as Annexure-IV.  The monitored environmental parameter is being displayed near the main gate and important public places.  The result of monitored data is periodically sent to MoEF&CC and the respective zonal office of CPCB, WBPCB etc.
vii)	Total fresh water requirement from ground water source/ surface water supply shall not exceed 1205 m <sup>3</sup> /day for distillery and cogeneration unit and prior permission shall be obtained from the GWA/SGWA. Water consumption shall be reduced by adopting 3 R's (reduce, reuse and recycle) concept in the process.	Total fresh water requirement for the industry within or below 1205 m <sup>3</sup> /day. The above mentioned water have also obtained permission for the drawl of water from bore wells by West Bengal Groundwater Resource Development Authority vide letter No. 66491 (30 m <sup>3</sup> /hr), 66718 (35 m <sup>3</sup> /hr), 66498 (35 m <sup>3</sup> /hr), 66717 (30 m <sup>3</sup> /hr). Attached as Annexure-V
viii)	Spent wash generation shall not exceed 6 KI/KI of alcohol. Spent wash shall be treated through decanter and concentrated in multi-effect evaporator (MEE) to form DWGS.	Agreed  Spent wash is below 720 KLD i.e., 6Kl/Kl of 120 KLD of alcohol production, Spent wash

S. No.	Condition of EC	Compliance Status of Action Plan
	<p>DWGS will be sent to dryer to form DOGS. The spentlees and condensate will be treated in UASBR followed by aerobic treatment and sand filtration /charcoal filtration. Treated effluent will be used for makeup water of cooling towers and water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB and recycle/reuse. Online water monitoring system shall be installed for important parameters.</p>	<p>is taken through centrifuge decanters and thin slops from the decanter centrifuge are partly recycled back to process (30-35%) and partly taken to thins slops evaporation plant for concentration of remaining solids to form syrup. This syrup is also Mixed into the wet cake coming out of centrifuge and passes through steam tube bundle dryer which is used as cattle feed.</p> <p>ETP of latest design to meet norms prescribed by CPCB/SPCB is constructed to treat spent lees, MEE condensate and Utilities wastewater and after confirming to standards prescribed by CPCB/SPCB, treated effluent will be recycled/ reused within the factory premises. No effluent is being discharged outside the distillery plant premises and Zero Effluent discharge. Decanter, multi-effect evaporator and dryer are installed to achieve zero discharge. Online camera &amp; flow meter has been installed, which is connected with the CPCB server</p>
ix)	<p>Automatic /online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.</p>	<p>Automatic/Online monitoring instrument has been installed. The regular monitoring is carried out by automatic /online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants. Example some reading of online monitoring result is attached as Annexure-I.</p>
x)	<p>No effluent from distillery and co-generation power plant shall be discharged outside the factory premises and 'Zero' effluent discharge concept shall be adopted.</p>	<p>The waste water form distillery and co-generation power plant is treated in effluent treatment plant and multi effect evaporator. Treated water recycled/reused for various factory purposes and gardening. 'Zero' effluent discharge from project site is maintained.</p>
xi)	<p>Process effluent/any wastewater shall not be allowed to mix with storm water. Storm</p>	<p>Complied.</p>

S. No.	Condition of EC	Compliance Status of Action Plan
	water drain shall be passed through guard pond.	Industrial process effluent / any wastewater is not being allowed to mix with storm water. The effluent is being directed to ETP and after treatment is being recycled and reused in plant operations / green belt development. Storm water is passed through guard pond through storm water drains in factory premises.
xii)	Adequate numbers of ground water quality monitoring stations by providing piezometers around the project area shall be set up. Sampling and trend analysis monitoring must be made on monthly a basis and report submitted to SPCB and this Ministry. The ground water quality monitoring for pH, BOD, COD, Chloride, Sulphate and Total Dissolve Solids shall be monitored and report submitted to the Ministry's Regional Office at Bhubaneshwar and WBSPCB.	The ground water quality regularly monitoring by piezometer in an around the industry and its premises.  The physico-chemical analyses of ground water in project surrounding study area are attached as Annexure- VI.
xiii)	No storage of wet cake shall be done at site to avoid odour problem. An additional dryer shall be installed so that at any time wet cake is not sold then wet cake shall be converted into dry cake by operating additional dryer.	Wet cake is not stored in the plant. Wet cake is processed by following ways: <ul style="list-style-type: none"> <li>• Distillers Wet Grain Soluble (DWGS) Drier (steam tube bundle drier) is set up.</li> <li>• Wet cake / DWGS (211 MT/Day) is passed through steam tube bundle drier for drying into cake with 10-12% moisture (max.) to give higher shelf life.</li> <li>• Solid dry cakes (DDGS -75 MT/Day) are finally obtained.</li> </ul> The solid dry cake is cleaned regularly, hence there is no odour problem obtained from plant premises. However, any problem arises during maintained it will be rectifying

S. No.	Condition of EC	Compliance Status of Action Plan
		immediate basis.
xiv)	Coal storage shall be done in such a way that it does not get air borne or fly around due to wind. For this, it shall be kept in wet form.	Complied  The coal storage area kept in separate place and is under covered shed & tarpaulin cover and it does maintain for moisture. Also adequate prevention is adopting for wind blow air borne dust. (Attached as Annexure-VII)
xv)	Fly ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.	Fly ash from rice husk/coal is stored in closed silos.  Fly ash from the plant is supplied to the brick manufacturers in closed bunkers.
xvi)	Firefighting system shall be as per norms and cover all areas where alcohol is produced, handled and stored. Provision of foam system for firefighting shall be made to control fire from the alcohol storage tank.	Alcohol storage and handling area firefighting facility is provided as per norms. Provision of Foam System for firefighting to control fire from the alcohol storage tank is provided.
xvii)	Risk Assessment shall be carried to assess the fire and explosion risk due to storage of alcohol and report submitted to the Ministry and its Regional Office at Bhubaneswar within six months.	Complied  Risk assessment has been carried out to assess the fire and explosion risk due to storage of alcohol. Fire safety Emergency Response Team is being developed in the industry premises attached as Annexure - VIII
xviii)	Occupational health surveillance programme shall be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health center shall be strengthened and the regular medical test records of each employee shall be maintained separately.	Occupational health surveillance programme is taken as a regular exercise for all the employees and their records maintained.  I. In order to ensure good health of workers, regular health check-up of the plant workers is carried out  II. Proper storage and handling

S. No.	Condition of EC	Compliance Status of Action Plan
		<p>precautions is taken. The storage area is kept cool, dry and well ventilated away from any source of heat, flame or oxidizers</p> <p>III. Use of Personal Protective Equipment (PPEs) is exercised. Proper training on use of PPEs, characteristics of the material handled and safety precautions adopted are given to the workers.</p> <p>IV. Fire safety measures are incorporated within the factory premises. All the fire extinguishing media such as water, dry chemicals, CO<sub>2</sub>, sand, dolomite etc. is kept in vital locations.</p> <p>V. Mock drills are arranged for the workers to test the effectiveness of the training program from time to time and the way to react in case of emergency.</p> <p>VI. Safety precautions is displayed in the premises on the banners, boards etc.</p> <p>VII. Both On-site &amp; Off-site emergency preparedness plan is proposed</p>
xix)	<p>Dedicated parking facility for loading and unloading of material shall be provided in the factory premises. Unit shall develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.</p>	<p>Dedicated parking facility for loading and unloading of material is provided in the factory premises.</p> <p>Good traffic management system is adopted for incoming and outgoing vehicles in the factory premises.</p> <p>Safety precautions is displayed in the</p>



S. No.	Condition of EC	Compliance Status of Action Plan
		<p>premises on the banners, boards etc. Parking facility photograph is attached as Annexure-IX</p>
xx)	<p>As proposed, green belt over 33 % of the total project area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.</p>	<p>Total project area is 18.81 acre under which 6.2 acre area is prepared (about 33%) for green belt development area of 10 m width, wherever possible.</p> <p>However, More green belt area will be developed at the earliest. Selection of plant species will be as per the CPCB guidelines in consultation with DFO.</p> <p>The greenbelt plan and greenery of the industry premises is attached as Annexure X.</p>
xxi)	<p>All the commitment made regarding issues raised during the Public Hearing/consultation meeting held on 28<sup>th</sup> November, 2014 shall be satisfactorily implemented.</p>	<p>During public hearing the company committed to hire local people as per commitment we have already hired around 90% local work force strength for various jobs.</p>
xxii)	<p>At least 5 % of the total cost of the project shall be earmarked towards the Enterprise social responsibility based on Public Hearing issues and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Bhubaneswar. Implementation of such program shall be ensured accordingly in a time bound manner.</p>	<p>Company has adopted the nearby village where efforts are made to bring need based development. Free drinking water is provided during summers and medical check-up camps are organized.</p> <p>CSR plan is being carried out in consultation with local bodies to understand the local needs and accordingly CSR plan is under implementation.</p> <p>Break up of CSR expenditure attached herewith as Annexure-XI.</p>
xxiii)	<p>Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, creche</p>	<p>The project is now in operation phase and all the necessary facilities are already present at site.</p> <p>However, the major workers were employed with the local areas, so no need to stay at the</p>

S. No.	Condition of EC	Compliance Status of Action Plan
	etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	plant premises. However, a temporary shelter was arranged during construction time and were also provided necessary infrastructure and facilities such as fuel for cooking mobile toilets, safe drinking water, medical health care etc .
<b>B.</b>	<b>General Guide line</b>	
i)	The project authorities must strictly adhere to the stipulations made by the West Bengal State Pollution Control Board (WBSPCB), State Government and any other statutory authority.	Company has complying and in process to comply the condition stipulated by WBPCB and state government. NOC from WBPCB obtained vide .MEMO No 611-7WPBD-cont(7116)/16 dated 30.07.2021 (Attached annex-XII).
ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Ministry has approved environment clearance for the expansion of the said project from 120 KLPD to 240 KLPD and Co-gen by 3.5 to 8 MW within same land. Vide Expansion letter letter No. J-11011/337/2013-IA-II (I) dated 22.03.2021. Attached as Annexure-XIII.
iii)	The locations of ambient air quality monitoring stations shall be decided in consultation with the West Bengal State Pollution Control Board (WBSPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Agreed  The Ambient Air Quality Monitoring Stations are provided nearest project site. The locations of ambient air quality monitoring stations are given Annexure-IV.
iv)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986	The noise level within the factory premises is regularly monitored and it is maintained within ambient noise levels standards prescribed by CPCB. The result of Ambient Noise quality analysis is attached as Annexure-III.

S. No.	Condition of EC	Compliance Status of Action Plan
	Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	
v)	The Company shall harvest rainwater from the roof-tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	The rain-water harvesting pit and storm water drain constructed for conserving the water. Storm water drains are regularly clean-up. The company is collecting the rainfall run-off generated from rooftops in a pond.
vi)	During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic wastewater and storm water drains.	Safety Provision made as constructed garland drain to avoiding any mixing of accidental spillage with domestic wastewater and storm water drains.
vii)	Usage of Personnel Protection Equipments by all employees/ workers shall be ensured.	Personnel Protection Equipments (PPEs) are used as per Factories Act. Proper training Programme on use of PPEs, characteristics of the material handled and safety precautions is arranged regularly.
viii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Regular training is being given to employees on handling of chemicals and safety aspect.  The Truck driver and daily wages worker have arrange training regarding safety norms and common environmental issues on regular basis.
ix)	The company shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.	The PP are complying all the environmental protection measures and safeguards. the details are as follows: <ul style="list-style-type: none"> <li>• ESP has been provided for the stack of Co-gen plant.</li> <li>• MEE has been provided for reducing the spent wash.</li> <li>• Effluent Treatment Plant is in place.</li> <li>• Greenbelt has been developed.</li> <li>• Water sprinkling system has been provided for controlling the fugitive emissions.</li> <li>• Regular environmental quality monitoring is being carried out.</li> </ul>

S. No.	Condition of EC	Compliance Status of Action Plan																		
x)	The company shall undertake CSR activities and all relevant measures for improving the socio-economic conditions of the surrounding area.	5% of the total project cost are earmarked for 5 years plan towards various activities covered under Enterprise Social Commitment. Following activities are taken under CSR: <ul style="list-style-type: none"> <li>• Provision of safe drinking water facilities.</li> <li>• Medical facilities</li> <li>• Plantation in nearby areas.</li> <li>• Infrastructure development.</li> <li>• Education to the underprivileged.</li> </ul> The detailed CSR expenditure are given in Annexure-XIV.																		
xi)	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Complied																		
xii)	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	M/s. Globus Spirits Limited has an environmental management cell for monitoring the EMP and that monitors the impact on environment and effectiveness of safeguards provided. A in house laboratory has also developed for the purpose of environmental management.																		
xiii)	The company shall earmark sufficient funds for recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management pollution control measures shall not be diverted for any other purpose.	Complied The funds earmarked for environmental protection measures are kept in a separate account and never spent on other purposes. The details of budgetary allocation for EMP are as follows: <table border="1" data-bbox="917 1668 1508 2027"> <thead> <tr> <th>Sn</th> <th>Scheme</th> <th>Capital Cost (Rs. In Lakh)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Decanter</td> <td>75</td> </tr> <tr> <td>2</td> <td>Evaporator</td> <td>620</td> </tr> <tr> <td>3</td> <td>Drier</td> <td>655</td> </tr> <tr> <td>4</td> <td>ETP</td> <td>150</td> </tr> <tr> <td colspan="2">Total</td> <td>1500</td> </tr> </tbody> </table>	Sn	Scheme	Capital Cost (Rs. In Lakh)	1	Decanter	75	2	Evaporator	620	3	Drier	655	4	ETP	150	Total		1500
Sn	Scheme	Capital Cost (Rs. In Lakh)																		
1	Decanter	75																		
2	Evaporator	620																		
3	Drier	655																		
4	ETP	150																		
Total		1500																		

S. No.	Condition of EC	Compliance Status of Action Plan
xiv)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParisad/Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/representations, if any, were received while processing the proposal.	Complied After obtaining of environmental clearance a copy of the clearance letter was already send to concerned Panchayat, ZilaParisad/Municipal Corporation.  No suggestions / representations received from concerned Panchayat, ZilaParisad/Municipal Corporation, Urban local Body and the local NGO.
xv)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the West Bengal State Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.	Agreed  Six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Regional Office of MoEF & CC, the respective Zonal Office of CPCB and the West Bengal State Pollution Control Board are being regularly submitted.
xvi)	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated shall be submitted to the West Bengal Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Bhopal Regional Offices of MoEFbye-mail.	Complied  Attached as Annexure-XV.
xvii)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be	Compiled

S. No.	Condition of EC	Compliance Status of Action Plan
	seen at Website of the Ministry at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	
xviii)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Compiled

**Project Name:** Expansion of Grain based distillery from 120 to 240 KLPD & co-generation power plant from 3.5 MW to 8.0 MW within existing plant premises at Plot no B7, Industrial Park, Panagarh, Tehsil Ausgram-II,

**Status of Environment Compliance with stipulation as laid down by MoEF& CC vide Letter No. J-11011/337/2013-IA II (I) dated 22<sup>ND</sup> March, 2021**

**Compliance Period: April 2022 – September 2022**

### I Operation Phase

#### A. Specific Conditions

S. N.	Condition of EC	Compliance Status of Action Plan
i)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Agreed and complied
ii)	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises	Agreed.  No effluent will be discharged outside the distillery plant premises and will maintain Zero Effluent discharge for the expansion project.
iii)	Total fresh water requirement for the proposed project will be 890 m <sup>3</sup> /day (520 m <sup>3</sup> /day Distillery process @2.17 KL/KL + 200 m <sup>3</sup> /day Co-generation Power Plant + 120 m <sup>3</sup> /day Bottling Plant + 50 m <sup>3</sup> /day Domestic & others) which will be met from Ground water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.	Agreed  The project proponent was collect prior permission from the concerned regulatory authority/CGWA in this regard, and will be renewed from time to time. It is also maintain that no ground water recharge within the plant premises.  The permission for the ground water withdrawal is attached as Annexure-V.
iv)	The spent wash shall be dried to obtain DDGS to	Complied

	be used as cattle feed. Ash/manure shall be packed in 25 kg bags and transported via covered trolleys.	
v)	CO <sub>2</sub> generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.	Complied.
vi)	Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Complied. All workers & employees are provided with required safety kits/mask for personal protection in time to time. Health checkup is also be provided to the employees during duty time.
vii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	It is maintained that training are given to all employees on safety and health aspects of chemicals handling. Safety and visual reality training will also be provided to the employees. Recent safety training is attached as Annexure-XVI
viii)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.	The firefighting system is developed as per norms for the expansion project.
ix)	Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Complied
x)	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation	Complied
xi)	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of	The total project area is 9.380 ha (23.18 acres) for the expansion Project. The green belt is already



	plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map	coved 33% of the total project area i.e 3.095 ha out of 9.380 ha of the project. Saplings of local species for plantation purposes after consultation with DFO and nearest gram panchayet are taken. The greenbelt plan and greenery of the industry premises is attached as Annexure X
xii)	As per the Ministry's OM dated 30.09.2020 superseding the OM dated 01.05.2018 regarding the Corporate Environmental Responsibility, and as per the action plan proposed by the project proponent to address the socio-economic and environmental issues in the study area, the project proponent, as committed, shall provide education funds in technical training centers/ support in nearby village's schools, support in health care facilities, drinking water supply and funds for miscellaneous activities like solar street lights, battery, solar panel etc., in the nearby villages. The action plan shall be completed within time as proposed	Agreed  Break up of CSR expenditure attached herewith as Annexure-XI.  The company CER cost is total Rs. 3.0 Crores  CER Plan will be developed as per Rule with collaboration DM. District Magistrate
xiii)	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places	Dedicated parking facility for loading and unloading of material is provided in the factory premises.  Good traffic management system is adopted for incoming and outgoing vehicles in the factory premises.  Safety precautions is displayed in the premises on the banners, boards etc.  Parking facility photograph is attached as Annexure-IX
xiv)	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions	Storage of raw materials is stored in silos/covered areas. Detailed photo
xv)	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants	Continuous online (24x7) monitoring system for stack emissions is installed and data is being transferred to CPCB

	<p>concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.</p>	<p>and SPCB server.</p> <p>Online effluent continuous monitoring is installed in the ETP and data is also transferred to the to CPCB and SPCB server.</p> <p>The online monitoring result is attached as Annexure-I.</p> <p>The normal surveillance camera is installed in the ETP premises, However PTZ camera with night vision capability at the ETP will be installed immediately.</p>
xvi)	<p>A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions</p>	<p>An environmental cell has been constituted &amp; we are in process to hire a qualified environmental engineer to head the EMC. A competent laboratory with suitable equipment's &amp; apparatus to analysis effluent in house.</p>
<b>B.</b>	<b>General Guide line</b>	
i)	<p>No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.</p>	<p>Agreed,</p>
ii)	<p>The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment</p>	<p>Agreed.</p> <p>The industry having installed in many places LED based bulb for energy conservation and environmental betterment.</p>

iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	It is maintained the noise level in surrounding area is in under 75 dBA (day time) and 70 dBA (night time). The Ambient noise data in the plant premises are attached as Annexure-III.
iv)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The company CER cost is total Rs. 3.0 Crores Mentioned in EIA report CER Plan will be developed as per Rule with collaboration DM. District Magistrate
v)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Capital Cost of the Project Rs. 120 Crores Cost for Environmental Protection Measures for expansion project: • Capital Cost of EMP: Rs. 20.0 Crores • Recurring Cost: Rs. 2.0 Crores / annum The funds so earmarked for environment management/ pollution control measures is kept in separate.  Mention in EIA Report
vi)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied
vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard	Complied

	copies as well as by e- mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	
viii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental. clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail	Complied  Attached as Annexure-XV
ix)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied  Attached as Annexure-XVII
x)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied  Attached as Annexure-XVIII
xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Agreed
xii)	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall	Agreed

	implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory	
--	--	--

\*PP- Project Proponent; \*EC-Environmental Clearance


List of Annexures	
Annexure I	Online Stack Monitoring Result
Annexure II	Pucca Road Photograph
Annexure III	Ambient Noise Quality at Plant Sites
Annexure IV	Ambient Air Quality Monitoring Report
Annexure V	Permission for the Drawl Of Water
Annexure VI	Ground Water Quality Monitoring Report
Annexure VII	Coal Storage Yard
Annexure VIII	Fire safety Emergency Response Team
Annexure IX	Parking Facility
Annexure X	Green Belt Area
Annexure XI	CSR PLAN
Annexure XII	CTO Letter
Annexure XIII	Project Expansion EC Recommended Letter.
Annexure XIV	CSR Details
Annexure-XV	Filled up Form V
Annexure-XVI	safety training
Annexure-XVII	News Paper Advertisement
Annexure-XVII	Financial Closer letter

# **ANNEXURE-I**

**Forbes Marshall  
Multi Station Report**

**From :** 01-08-2022 00:00:00      **To :** 31-08-2022 23:59:59  
**Interval :** Daily                      **Function :** Average

Maximum 10 parameters can be exported in pdf format.



**Flag legends:** < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny, B - Bad data, H - High permissible limit crossed, L - Low permissible limit crossed, P - Processed Data, V - Corrected Data, D - Delayed Data.

Calender	PM Avg	PM Avg	COD Avg	BOD Avg	pH Avg	TSS Avg	Flow Avg			
Plant	GS	GS	GS	GS	GS	GS	GS			
Station	STACK 2_40 TPH Coal husk fired	Stack 1_35 TPH Flusk Fired Boiler	ETP_CPU 1_Outlet	ETP_CPU 1_Outlet	ETP_CPU 1_Outlet	ETP_CPU 1_Outlet	ETP_CPU 1_Outlet Flow			
Units	mg/Nm3	mg/Nm3	mg/l	mg/l	pH	mg/l	m3/hr			
Range	0 - 30	0 - 50	0 - 250	0 - 30	5.5 - 9	0 - 100				
01-08-2022 00:00:00		28.98 <								
02-08-2022 00:00:00		29.24 <								
03-08-2022 00:00:00		28.50 <								
04-08-2022 00:00:00		28.53 <								
05-08-2022 00:00:00		28.67 <								
06-08-2022 00:00:00		30.01 <								
07-08-2022 00:00:00		34.85 <								

Calender	PM Avg	PM Avg	COD Avg	BOD Avg	pH Avg	TSS Avg	Flow Avg			
Plant Station	<b>GS</b> STACK 2_40 TPH Coal husk fired	<b>GS</b> Stack 1_35 TPH Flusk Fired Boiler	<b>GS</b> ETP_CPU 1_Outlet	<b>GS</b> ETP_CPU 1_Outlet	<b>GS</b> ETP_CPU 1_Outlet	<b>GS</b> ETP_CPU 1_Outlet	<b>GS</b> ETP_CPU 1_Outlet Flow			
Units Range	mg/Nm3 0 - 30	mg/Nm3 0 - 50	mg/l 0 - 250	mg/l 0 - 30	pH 5.5 - 9	mg/l 0 - 100	m3/hr			
08-08-2022 00:00:00		35.60								
09-08-2022 00:00:00		34.21 <								
10-08-2022 00:00:00		34.96 <								
11-08-2022 00:00:00		26.51 <								
12-08-2022 00:00:00		26.94 <	50.15 < RB	26.29 <	4.85 < RB	153.19 <	9.98 <			
13-08-2022 00:00:00		27.37 <	52.61	27.24	B	128.73 HS	11.28			
14-08-2022 00:00:00		27.85 <	65.74 <	27.24 <	B	327.12 <	13.04 <			
15-08-2022 00:00:00		27.66 <								
16-08-2022 00:00:00		28.18 <								
17-08-2022 00:00:00	14.81 <	28.39 <	150.94 <	27.24 <	B	37.88 <	14.05 <			
18-08-2022 00:00:00	15.06	28.67 <	139.35	27.24	B	154.25 HS	12.98			
19-08-2022 00:00:00	17.39	33.17 <	111.63	27.24	B	err S	13.09			
20-08-2022 00:00:00	15.26	32.76 <	106.30	27.24	B	err S	11.85			
21-08-2022 00:00:00	0.00	33.58 <	104.91	27.24	B	err SB	12.10			
22-08-2022 00:00:00	0.00	33.83 <	106.38	27.24	B	err SB	14.37			
23-08-2022 00:00:00	0.00	27.16 <	85.06	29.71 H	B	187.22 <	12.64			
24-08-2022 00:00:00	0.00	19.13 <	67.80	33.77 H	B	285.33	12.98			
25-08-2022 00:00:00	0.00	19.47 <	69.71	34.87 H	B	309.28 HS	14.46			
26-08-2022 00:00:00	0.00	19.92 <	71.83	35.41 H	B	301.71 HS	15.14			
27-08-2022 00:00:00	5.36 <	20.89 <	83.44	41.36 H	B	272.80	15.12			
28-08-2022 00:00:00	14.36 <	21.17 <	68.82	34.13 H	B	268.05 HS	15.48			
29-08-2022 00:00:00	14.52	21.48 <	67.44	33.35 H	B	270.67 HS	14.96			



Calender	PM Avg	PM Avg	COD Avg	BOD Avg	pH Avg	TSS Avg	Flow Avg			
Plant Station	<b>GS</b> STACK 2_40 TPH Coal husk fired	<b>GS</b> Stack 1_35 TPH Flusk Fired Boiler	<b>GS</b> ETP_CPU 1_Outlet	<b>GS</b> ETP_CPU 1_Outlet	<b>GS</b> ETP_CPU 1_Outlet	<b>GS</b> ETP_CPU 1_Outlet	<b>GS</b> ETP_CPU 1_Outlet Flow			
Units Range	mg/Nm3 0 - 30	mg/Nm3 0 - 50	mg/l 0 - 250	mg/l 0 - 30	pH 5.5 - 9	mg/l 0 - 100	m3/hr			
30-08-2022 00:00:00	14.67	22.00 <	78.90	39.37 H	B	286.41 HS	14.31			
31-08-2022 00:00:00	14.87 <	21.52 <	78.86 <	39.44 < H	B	314.28 <	14.86 <			

**Report Summary**

Average	8.42	27.78	86.66	31.42	4.85	235.49	13.48			
Maximum	17.39	35.60	150.94	41.36	4.85	327.12	15.48			
Minimum	0.00	19.13	50.15	26.29	4.85	37.88	9.98			
Std.Deviation	7.56	5.01	27.92	5.09	0.00	87.42	1.53			
Geom.Mean	13.45	27.32	82.82	31.06	4.85	210.47	13.40			
Median	14.36	28.39	78.88	28.47	4.85	271.73	13.57			
Mode	0.00	20.89	67.44	27.24	4.85	153.19	13.04			
Total Active										

# **Annexure-II**



# **Annexure-III**



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

<b>Report No.:</b> AEL/GSL/15092022/AN/01	<b>Reporting Date:</b> 20/09/2022
Issued to: <b>M/s Globus spirits limited</b> Plot No. B7, Panagarh Industrial Park Panagarh, Distt. Purba Badhaman West Bengal Pin-713148	<b>Sample I'd</b> : AEL/GSL/150922/AN/01 <b>Date</b> : 15.09.2022

<b>SAMPLE PARTICULARS:</b>	
<b>Type of the Sample</b>	Noise Level Testing (Ambient Air)
<b>Date of Sampling</b>	12.09.2022 to 13.09.2022
<b>Sample Collected By</b>	Lab Rep.
<b>Purpose of Analysis</b>	Monitoring

Sr. No.	Sampling Location	Units	Results		Protocol Used
			Day	Night	
1.	Plant site (Near DG set)	dB(A)	68.8	50.6	IS 9989 (By Calculation):2014

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2006) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note: - \* Day time mean 6:00 am to 10:00 pm  
\*\* Night Time mean 10:00 pm to 6:00 am

Checked By

Authorized Signatory



Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

<b>Report No.:</b> AEL/GSL/15092022/AN/02	<b>Reporting Date:</b> 20/09/2022
Issued to: <b>M/s Globus spirits limited</b> <b>Plot No. B7, Panagarh Industrial Park</b> <b>Panagarh, Distt. Purba Badhaman</b> <b>West Bengal Pin-713148</b>	<b>Sample I'd</b> : AEL/GSL/150922/AN/02 <b>Date</b> : 15.09.2022

<b>SAMPLE PARTICULARS:</b>	
<b>Type of the Sample</b>	Noise Level Testing (Ambient Air)
<b>Date of Sampling</b>	12.09.2022 to 13.09.2022
<b>Sample Collected By</b>	Lab Rep.
<b>Purpose of Analysis</b>	Monitoring

Sr. No.	Sampling Location	Units	Results		Protocol Used
			Day	Night	
1.	Plant site (Corner 1)	dB(A)	58.8	46.4	IS 9989 (By Calculation):2014

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2006) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note: - \* Day time mean 6:00 am to 10:00 pm  
\*\* Night Time mean 10:00 pm to 6:00 am

  
Checked By

  
Authorized Signatory

- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

<b>Report No.: AEL/GSL/15092022/AN/03</b>	<b>Reporting Date:20/09/2022</b>
Issued to: <b>M/s Globus spirits limited</b> <b>Plot No. B7, Panagarh Industrial Park</b> <b>Panagarh, Distt. Purba Badhaman</b> <b>West Bengal Pin-713148</b>	<b>Sample I'd</b> : AEL/GSL/150922/AN/03 <b>Date</b> : 15.09.2022

SAMPLE PARTICULARS:	
Type of the Sample	Noise Level Testing (Ambient Air)
Date of Sampling	12.09.2022 to 13.09.2022
Sample Collected By	Lab Rep.
Purpose of Analysis	Monitoring

Sr. No.	Sampling Location	Units	Results		Protocol Used
			Day	Night	
1.	Plant site (Corner 2)	dB(A)	66.8	50.4	IS 9989 (By Calculation):2014

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2006) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note: - \* Day time mean 6:00 am to 10:00 pm  
\*\* Night Time mean 10:00 pm to 6:00 am

Checked By

Authorized Signatory



- Note: 1. The result listed refer only to the tested samples and applicable parameters.
2. Sample will be destroyed one month from the date of issue of test certificate.
3. Any complaints about this report should be communicated within 7 days of issue of this report
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

<b>Report No.: AEL/GSL/15092022/AN/04</b>	<b>Reporting Date:20/09/2022</b>
Issued to: <b>M/s Globus spirits limited</b> <b>Plot No. B7, Panagarh Industrial Park</b> <b>Panagarh, Distt. Purba Badhaman</b> <b>West Bengal Pin-713148</b>	<b>Sample I'd</b> : AEL/GSL/150922/AN/04 <b>Date</b> : 15.09.2022

<b>SAMPLE PARTICULARS:</b>	
<b>Type of the Sample</b>	Noise Level Testing (Ambient Air)
<b>Date of Sampling</b>	12.09.2022 to 13.09.2022
<b>Sample Collected By</b>	Lab Rep.
<b>Purpose of Analysis</b>	Monitoring

Sr. No.	Sampling Location	Units	Results		Protocol Used
			Day	Night	
1.	Plant site (Corner 3)	dB(A)	62.2	46.4	IS 9989 (By Calculation):2014

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2006) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note: - \* Day time mean 6:00 am to 10:00 pm  
\*\* Night Time mean 10:00 pm to 6:00 am

Checked By

Authorized Signatory

- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.





# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report


<b>Report No.:</b> AEL/GSL/15092022/AN/05	<b>Reporting Date:</b> 20/09/2022
Issued to: <b>M/s Globus spirits limited</b> <b>Plot No. B7, Panagarh Industrial Park</b> <b>Panagarh, Distt. Purba Badhaman</b> <b>West Bengal Pin-713148</b>	<b>Sample I'd</b> : AEL/GSL/150922/AN/05 <b>Date</b> : 15.09.2022

<b>SAMPLE PARTICULARS:</b>	
<b>Type of the Sample</b>	Noise Level Testing (Ambient Air)
<b>Date of Sampling</b>	12.09.2022 to 13.09.2022
<b>Sample Collected By</b>	Lab Rep.
<b>Purpose of Analysis</b>	Monitoring

Sr. No.	Sampling Location	Units	Results		Protocol Used
			Day	Night	
1.	Plant site (Corner 4)	dB(A)	60.2	42.6	IS 9989 (By Calculation):2014

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2006) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note: - \* Day time mean 6:00 am to 10:00 pm  
\*\* Night Time mean 10:00 pm to 6:00 am

  
Checked By

  
Authorized Signatory

- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# भारत का राजपत्र The Gazette of India

सी.जी.-डी.एल.-अ.-02062021-227331  
CG-DL-E-02062021-227331

असाधारण  
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)  
PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

सं. 1977]

नई दिल्ली, बुधवार, जून 2, 2021/ज्येष्ठ 12, 1943

No. 1977]

NEW DELHI, WEDNESDAY, JUNE 2, 2021/JYAISHTHA 12, 1943

पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय

अधिसूचना

नई दिल्ली, 1 जून, 2021

का.आ. 2131(अ).—केंद्रीय सरकार, पर्यावरण (संरक्षण) नियम, 1986, के नियम 10 के साथ पठित पर्यावरण (संरक्षण) अधिनियम, 1986 (1986 का 29) की धारा 12 की उप-धारा (1) के खंड (ख) और धारा 13, द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए तत्कालीन पर्यावरण और वन मंत्रालय का.आ 1174 (अ), तारीख 18, जुलाई, 2007, द्वारा भारत सरकार की अधिसूचना में निम्नलिखित और संशोधन करती है अर्थात् :-

उक्त अधिसूचना की सारणी में -

(i) क्रम संख्या 23, 36, 40, 44, 46, 48, 50, 51, 57, 67, 68, 70, 74, 99, 101, 106, 112, 119, 127 और 138 और उससे संबंधित प्रविष्टियों के स्थान पर, क्रमशः निम्नलिखित क्रम संख्या और प्रविष्टियां रखी जाएंगी, अर्थात्:-

सारणी

क्र.सं.	प्रयोगशाला का नाम	सरकारी विश्लेषक के नाम	निम्नलिखित तारीख तक वैध मान्यता
(1)	(2)	(3)	(4)
"23	मैसर्स विट्रो लैब्स, # 2-2-647/ ए/3, 3	(i) श्री चौ. नरसिम्हा राव	01 जून, 2021

	मंजिल, शिवम, नई नल्लकुंटा, हैदराबाद- 500013, कर्नाटक	(ii) श्री नेरला संगमेश्वर सरमा	से 8 दिसंबर, 2023
36	मैसर्स कदम पर्यावरण कंसल्टेंट्स, 871/बी/3, हिमालय मशीनरी, जीआईडीसी, मकरपुरा, वडोदरा -390010, गुजरात	(i) श्री रमेश जी. कोटस्थेन (ii) सुश्री सपना एस. अमीन (iii) सुश्री अशाल बी. पटेल	01 जून, 2021 से 4 जनवरी 2022
40	मैसर्स आदित्य पर्यावरण सेवा प्रा. लि., प्लॉट नंबर पी -1, एमआईडीसी पातालगंगा औद्योगिक क्षेत्र (रेसी.) रसायनी, ताल-खालापुर, जिला-रायगढ़-410222, महाराष्ट्र	(i) सुश्री हिमानी प्रदीप जोशी (ii) सुश्री रेशमा समीर पाटिल (iii) श्री चेतन अरुण कदम	01 जून, 2021 से 24 अप्रैल, 2024
44	मैसर्स ग्लोबल एनवायरो लैब्स, #2-2-1075/14/ए/1तल, तिलक नगर, 'एक्स' रोड, बाग अंबरपेट, हैदराबाद- 500013, तेलंगाना	(i) श्री टी. मुरली कृष्ण (ii) श्री आर. राम कृष्ण (iii) डॉ. उर्मिला कुलकर्णी को	01 जून, 2021 से 28 सितंबर, 2023
46	मैसर्स कॉस्मो कॉन्शियस अनुसंधान प्रयोगशाला, सर्वे हाउस, # 121, 1मंजिल, II क्रॉस, नेहरू कॉलोनी, बल्लारी -583103, कर्नाटक	(i) श्री के. सोमशेखर राव (ii) श्री बी. मारुति राव को (iii) श्री जी. धवलेश्वर	01 जून, 2021 से 22 सितंबर, 2022
48	मैसर्स स्काई लैब एनालिटिकल प्रयोगशाला, 202 और 302, सीएफसी -3, असमीता पिम्पुटकर टेक्सपा, प्लॉट नंबर 1, अतिरिक्त कल्याण, भिवंडी औद्योगिक क्षेत्र, एमआईडीसी, ग्राम कोन, ताल-भिवंडी, जिला-ठाणे-421311, महाराष्ट्र	(i) श्री बालकृष्ण शाहजी पानसरे (ii) श्री परदीप विनायक (iii) श्री सौरभ बालकृष्ण पानसरे	01 जून, 2021 से 8 दिसंबर, 2023
50	मैसर्स शिव टेस्ट हाउस, 122-सी, आस्था, रोड नंबर -5 ए, 800013, बिहार 25 सितंबर, 2023	(i) डॉ. शिवेश्वर प्रसाद (ii) डॉ. (श्रीमती) श्रेयसी प्रसाद	01 जून, 2021 से 25 सितंबर, 2023
51	मैसर्स सैन एनविरोटेक प्रा. लिमिटेड, 324, 401, 402, 423 और 424, टूदवा बाजार, विपक्ष शेफाली केंद्र, पालडी क्रॉस रोड, अहमदाबाद -380007, गुजरात	(i) डॉ. महेंद्र सदरिया (ii) सुश्री दिती पटेल	01 जून, 2021 से 3 मार्च, 2024
57	मैसर्स रामकी एनवायरो इंजीनियर्स लिमिटेड, हैदराबाद अपशिष्ट प्रबंधन परियोजना, सर्वेक्षण नंबर 684/1, डंडीगल (वी), कुतबुल्लापुर(एम) रंगारेड्डी जिला-500043, तेलंगाना	(i) श्री वी. विजय कुमार (ii) श्री मदन कुमार डी. तिवारी (iii) श्री डी.एस.एस. श्रीनिवास	01 जून, 2021 से 26 अप्रैल, 2023

67	मैसर्स मानक विश्लेषणात्मक प्रयोगशाला प्रा. लि. 69, कार्यात्मक औद्योगिक एस्टेट, पटपड़गंज, दिल्ली - 110092	(i) डॉ. आर.एन. त्रिपाठी (ii) श्री देवांशु श्रीवास्तव (iii) श्री विवेक त्यागी	1 जून , 2021 से 9 जनवरी 2023
68	मैसर्स साइंटिफिक रिसर्च प्रयोगशाला श्यामली अपार्टमेंट, 90, झील पूर्व, 4 रोड, संतोषपुर, जादवपुर, कोलकाता-700075, पश्चिम बंगाल	(i) डा.ज्योतिरमोय मजूमदार (ii) सुश्री तृप्ति घोष (iii) श्री शिरसेन्दु दास	01 जून , 2021 से 11 अप्रैल, 2024
70	मैसर्स विसन लैब, मका. संख्या 16-11-23 / 37/ए, फ्लैट सं.-05 और 206, 2 मंजिल, आंध्र बैंक बिल्डिंग, विपरीत आर.टी.ए कार्यालय, मालाकपेट, हैदराबाद-500036, तेलंगाना	(i) श्री टी. लक्ष्मीकांत रेड्डी (ii) श्री के. जितेन्द्र रेड्डी (iii) श्री एल. चंद्र शेखर रेड्डी	01 जून , 2021 से 19 अगस्त, 2022
74	मैसर्स यूनिस्टार पर्यावरण और रिसर्च लैब्स प्रा. लि., प्लॉट नंबर सी/5-24, व्हाइट हाउस, 1 और 2 मंजिल, जीआईडीसी के पास कार्यालय, चार रास्ता, वापी -396196, गुजरात	(i) श्री हृरेश पी. जोशी (ii) श्री जैविक एस टंडेल (iii) श्री रंजन महाराज	01 जून, 2021 से 17 मार्च 2023
99	मैसर्स अंकलेश्वर रिसर्च और एनालिटिकल, इन्फ्रास्ट्रक्चर लिमिटेड (एआरएआईएल) प्लॉट नंबर 1501, अतीक के पास बेकरी जीआईडीसी, अंकलेश्वर-393002, गुजरात, महाराष्ट्र	(i) डॉ. हार्दिक कुमार ठाकर (ii) श्री मिहिर त्रिवेदी (iii) डॉ. गौरांग व्यास	01 जून , 2021 से 24 नवंबर, 2023
101	मेसर्स अर्थकेयर लैब्स प्राइवेट लिमिटेड, सी -11, अमर एन्क्लेव, वाणिज्यिक विंग, जोग लेआउट, प्रशांत नगर, अजनी के पास स्कूयार, नागपुर-440015, महाराष्ट्र	(i) श्री किशोर एल. जाधव (ii) श्रीमती रेणुका के. जाधव (iii) श्री चंद्रकांत पी. जाधव	01 जून, 2021 से 22 नवंबर, 2023
106	मेसर्स चंडीगढ़ प्रदूषण परीक्षण प्रयोगशाला, ई -126, चरण-सातवीं, औद्योगिक क्षेत्र, मोहाली -60055, पंजाब	(i) श्री रणवीर सिंह राणा (ii) श्री शीतल सिंह (iii) श्री संदीप सिंह धनोआ	01 जून , 2021 से 8 नवंबर, 2021
112	मैसर्स एडवर्ड फूड रिसर्च और विश्लेषण केंद्र लिमिटेड, (ईफ्रैक), मंडल सुभाष नगर, पोस्ट- नीलगंज बाजार, पी. एस. बारासात, जिला-उत्तर 24 पीजीएस, कोलकाता-700121, पश्चिम बंगाल	(i) श्री कौशिक मंडल (ii) श्री सुरेश कुमार मंडल	01 जून , 2021 से 23 अप्रैल, 2022
119	मेसर्स फेर लैब्स प्रा. लिमिटेड एल-17/3, डीएलएफ चरण- II, इफको चौक, एम.जी. रोड, गुडगांव 122002, हरियाणा	(i) श्री द्विजेंद्र माथुर (ii) श्री सी.एस. जोशी (iii) डॉ। मीनाक्षज त्रिपाठी	01 जून , 2021 से 9 जनवरी 2023

127	मैसर्स वर्धन एनरोलैब प्लॉट नंबर 82 / ए, सेक्टर -5, एचएसआईआईडीसी, आईएमटी, मानेसर, गुडगांव -122051, हरियाणा	(i) श्री एस. शर्मा (ii) श्री गौर प्रताप सिंह (iii) डॉ. शिव प्रकाश सिंह	01 जून , 2021 से 6 जनवरी, 2023
138	मैसर्स फूड हाइजीन एंड हेल्थ प्रयोगशाला, को सर्वे नंबर 126/10, प्लॉट नं. -1, हडपसर इंडस्ट्रियल एस्टेट, हडपसर, ताल - हवेली, जिला - पुणे -1013, महाराष्ट्र	(i) श्री रोहन देशपांडे (ii) सुश्री सीमा सतीश बाकडे (iii) सुश्री सुषमा महेश	01 जून, 2021 से 29 मार्च, 2024

(iii) क्रम संख्या 201 और उससे संबंधित प्रविष्टियों के पश्चात, निम्नलिखित क्रम संख्या और प्रविष्टियां रखी जाएंगी, अर्थात:-

क्र.सं.	प्रयोगशाला का नाम	सरकारी विश्लेषक के नाम	निम्नलिखित तारीख तक वैध मान्यता
(1)	(2)	(3)	(4)
202	209 मेसर्स अज़ीस लैब्स प्लॉट नं -एम-43 सेक्टर -3, पीठमपुर जिला धार -454774, मध्य प्रदेश	(i) श्री रविशंकर सहाय (ii) श्री मनोज बामनीया (iii) सुश्री निकिता भंड	01 जून , 2021 से 28 फरवरी 2023
203	मेसर्स क्रिएटिव एनवायरो सर्विसेज, 42, दूर संचार नगर, सेवॉय कॉम्प्लेक्स अरेरा कॉलोनी के निकट भोपाल -462039, मध्य प्रदेश	(i) डॉ. जी.के. जैस (ii) श्री संतोष खंटल (iii) सुश्री अमृता मिश्रा	01 जून , 2021 से 11 अक्टूबर, 2021
204	मेसर्स एशिया एनवायरो लैब, एच1-837, प्रदूषण बोर्ड के पास, चरण- II, रिको औद्योगिक क्षेत्र, भिवाड़ी, जिला- अलवर- 301019, राजस्थान	(i) श्री विक्रम सिंह (ii) श्री रोहताश	01 जून , 2021 से 23 दिसंबर, 2023
205	मेसर्स क्वालिटी रिसर्च और एनालिटिकल लैब्स. 341, ग्राउंड फ्लोर, कार्यात्मक औद्योगिक क्षेत्र, पटपड़गंज, नई दिल्ली -110092	(i) डॉ. गौरव माहेश्वरी (ii) मिस अनीता सिंह	01 जून , 2021 से 21 अक्टूबर, 2023
206	मेसर्स दिल्ली एनालिटिकल रिसर्च प्रयोगशाला, प्लॉट नंबर 2, टिम्बर ब्लॉक, झिलमिल औद्योगिक क्षेत्र, दिल्ली-110095	(i) डा. प्रियंका मिश्रा (ii) श्री विनय गुप्ता (iii) श्री नाओ ज्योति कुमार गुप्त	01 जून , 2021 से 12 नवंबर, 2021
207	मैसर्स वर्धन एनरोलैब, प्लॉट नंबर - 24 और 25, नारायण विहार, वीब्लॉक, मानसरोवर, जयपुर- 302035, राजस्थान	(i) श्री राजेंद्र सिंह यादव (ii) श्री राज कुमार यादव (iii) श्री नेमी चंद चौधरी	01 जून , 2021 से 6 जनवरी, 2023
208	मैसर्स पर्यावरण परीक्षण लैब, दुकान नंबर 1, देना बैंक के पास, बास रोड, रामनगर, ददरुहेरा, रेवाड़ी -123106, हरियाणा	(i) श्री करतार सिंह (ii) श्री हेमराज	01 जून , 2021 से 23 मार्च, 2024
209	मैसर्स अल्टीमेट एनवायरोलाइटिकल समाधान, एचडीडी 272, चरण-3, जेपी	(i) श्री अनुराग के. श्रीवास्तव	01 जून, 2021 से

	चौक के पास कबीर नगर, रिंग रोड 2, रायपुर -492099 छत्तीसगढ़	(ii) श्री लिटिल कुमार प्रजापति (iii) श्री प्रमोद कुमार चौबे	25 जून , 2022
210	मैसर्स लीजन लेबोरेटरीज प्रा. लि. बी-6/7, साइट -5, यूपीएसआईडीसी, कासना औद्योगिक क्षेत्र, ग्रेटर नोएडा- 201306, उत्तर प्रदेश	(i) डॉ. शिव प्रकाश सिंह, (ii) सुश्री बबिता धरवाल (iii) श्री कुशल कांत शर्मा	01 जून, 2021 से 26 फरवरी, 2023
211	मैसर्स एनवायरोग्रिन कंसल्टेंट्स (भारत) प्रा. लिमिटेड, 1 बी, पटेल सर्कल, माछला मगरा, उदयपुर -313002, राजस्थान ।	(i) डॉ. प्रकाश चंद्र जैन (ii) श्री शिव कुमार लखारा (iii) श्री मयंक भावसार	01 जून , 2021 से 23 जुलाई, 2023
212	मैसर्स ग्लेस इनोवेशन लैब्स प्रा.लि. नंबर 6/1, फर्स्ट फ्लोर, श्री जोती कॉम्प्लेक्स, मुरुगेसन स्ट्रीट, बाला विनयगर स्ट्रीट, अरुंबक्कम, चेन्नई -600106, तमिलनाडु	(i) डॉ. एस. सुरेश कुमार (ii) श्री ई. पृथ्वीराजन (iii) श्री एस. हरिहरसुधान	01 जून, 2021 से 12 मार्च, 2022
213	मैसर्स माधव एंड एसोसिएट्स, नंबर 37/2, होन्नाहल्ली, कल्लीपुरा रोड, तमकापोस्ट, कोलार जिला -563103, कर्नाटक	(i) श्री एन.वी. ओमप्रकाश (ii) सुश्री उषा जे.	01 जून , 2021 से 15 जनवरी, 2022।

[फा. सं. क्यू. 15018/21/2017-सीपीडब्ल्यू]

नरेश पाल गंगवार, संयुक्त सचिव

**टिप्पण:** मूल अधिसूचन भारत के राजपत्र असाधारण, भाग II खंड 3, उपखंड (ii) संख्या का.आ. (अ)1174 तारीख 18 जुलाई 2007, द्वारा प्रकाशित की गई थी और अधिसूचना संख्या का.आ.(अ) 4304 (अ), तारीख 11 नवंबर, 2020 द्वारा अंतिम रूप से संशोधित किया गया था ।

**MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE****NOTIFICATION**

New Delhi, the 1st June, 2021

**S.O. 2131(E).**— In exercise of the powers conferred by clause (b) of sub-section (1) of sections 12 and 13 of the Environment (Protection) Act, 1986 (29 of 1986), read with rule 10 of the Environment (Protection) Rules, 1986, the Central Government hereby makes the following further amendments in the notification of the Government of India in the erstwhile Ministry of Environment and Forests, *vide* number S.O. 1174(E), dated the 18<sup>th</sup> July, 2007, namely: -

in the said notification, in table, -

- (i) for Sl. No. 23, 36, 40, 44, 46, 48, 50, 51, 57, 67, 68, 70, 74,99, 101, 106, 112, 119,127 and 138 and the entries relating thereto, the following Sl. No. and entries shall respectively be substituted, namely: -

TABLE

Sl. No.	Name of the Laboratory	Name of the Government Analyst	Recognition with effect from and valid up to
(1)	(2)	(3)	(4)
“23	M/s. Vitro Labs, #2-2-647/A/3, 3 <sup>rd</sup> Floor, Shivam Road, New Nallakunta, Hyderabad-500013, Karnataka	(i) Mr. Ch. Narasimha Rao (ii) Mr. Neralla Sangameswara Sarma	1 <sup>st</sup> June, 2021  To 8 <sup>th</sup> December, 2023
36	M/s. Kadam Environmental Consultants, 871/B/3, Nr. Himalaya Machinery, GIDC, Makarpura, Vadodara-390010, Gujarat	(i) Mr. Ramesh G. Kotasthane (ii) Ms. Sapana S. Amin (iii) Ms. Ashal B. Patel	1 <sup>st</sup> June, 2021  To 4 <sup>th</sup> January, 2022
40	M/s. Aditya Environmental Services Pvt. Ltd., Plot No. P-1, MIDC Patalganga Industrial Area (Resi.) Rasayani, Tal-Khalapur, Distt.- Raigad-410222, Maharashtra	(i) Ms. Himani Pradeep Joshi (ii) Ms. Reshma Sameer Patil (iii) Mr. Chetan Arun Kadam	1 <sup>st</sup> June, 2021  To 24 <sup>th</sup> April, 2024
44	M/s. Global Enviro Labs, #2-2-1075/14/A/1, 1 <sup>st</sup> Floor, Tilak Nagar, ‘X’ Road, Bagh Amberpet, Hyderabad-500013, Telangana	(i) Mr. T. Murali Krishna (ii) Mr. R. Rama Krishna (iii) Dr. Urmila Kulkarni	1 <sup>st</sup> June ,2021  To 28 <sup>th</sup> September, 2023
46	M/s. Cosmo Conscious Research Laboratory, Survey House, #121, 1 <sup>st</sup> Floor, II Cross, Nehru Colony, Ballari-583103, Karnataka	(i) Mr. K. Somasekhar Rao (ii) Mr. B. Maruthi Rao (iii) Mr. G. Dhavaleshwar	1 <sup>st</sup> June , 2021  To 22 <sup>nd</sup> September,2022
48	M/s. Sky Lab Analytical Laboratory, 202 & 302, CFC-3, Asmeeta Texpa, Plot No.1, Additional Kalyan, Bhiwandi Industrial Area, M.I.D.C, Village Kon, Tal-Bhiwandi, District-Thane-421311, Maharashtra	(i) Mr. Balkrishna Shahaji Pansare (ii) Mr. Preadeep Vinayak Pimputkar (iii) Mr. Saurabh Balkrishna Pansare	1 <sup>st</sup> June, 2021  To 8 <sup>th</sup> December, 2023
50	M/s. Shiva Test House, 122-C, Aastha, Road No. -5A, Patliputra Colony, Patna-800013, Bihar	(i) Dr. Shibeswar Prasad (ii) Dr. (Mrs.) Shreyasee Prasad	1 <sup>st</sup> June, 2021  To 25 <sup>th</sup> September, 2023

51	M/s. San Envirotech Pvt. Ltd., 324,401,402,423 and 424, Medicine Market, Opp. Shefali Centre, Paldi Cross Road, Ahmedabad-380007, Gujarat	(i) Dr. Mahendra Sadaria (ii) Ms. Diti Patel	1 <sup>st</sup> June , 2021  To  03 <sup>rd</sup> March, 2024
57	M/s. Ramky Enviro Engineers Limited,  Hyderabad Waste Management Project, Survey No. 684/1, Dundigal (V), Qutabullapur(M), Rangareddy District-500043, Telangana	(i) Mr. V. Vijay Kumar (ii) Mr. Madan Kumar D. Tiwary (iii) Mr. D.S.S. Srinivas	1 <sup>st</sup> June , 2021  To  26 <sup>th</sup> April, 2023
67	M/s. Standard Analytical Laboratory Pvt. Ltd.,  69, Functional Industrial Estate, Patparganj, Delhi – 110092	(i) Dr. R.N. Tripathi (ii) Mr. Devanshu Srivastava (iii) Mr. Vivek Tyagi	1 <sup>st</sup> June , 2021  To  9 <sup>th</sup> January,2023
68	M/s. Scientific Research Laboratory,  Shyamali Apartment, 90, Lake East, 4 <sup>th</sup> Road, Santoshpur, Jadavpur, Kolkata-700075, West Bengal	(i) Dr. Jyotirmoy Majumdar (ii) Ms. Tripti Ghosh (iii) Mr. Shirsendu Das	1 <sup>st</sup> June , 2021  To  11 <sup>th</sup> April, 2024
70	M/s. Vison Lab,  H. No. 16-11-23/37/A, Flat No. - 205 and 206, 2 <sup>nd</sup> Floor, Andhra Bank Building, Opposite R.T. A Office, Malakpet, Hyderabad- 500036, Telangana	(i) Mr. T. Laxmikanth Reddy (ii) Mr. K. Jitender Reddy (iii) Mr. L. Chandra Sekhar Reddy	1 <sup>st</sup> June, 2021  To  19 <sup>th</sup> August, 2022
74	M/s. Unistar Environment and Research Labs Pvt. Ltd.,  Plot No. C/5-24, White House, 1 <sup>st</sup> and 2 <sup>nd</sup> Floor, Near GIDC Office, Char Rasta, Vapi-396196, Gujarat	(i) Mr. Haresh P. Joshi (ii) Mr. Jaivik S. Tandel (iii) Mr. Ranjan Maharaj	1 <sup>st</sup> June , 2021  To  17 <sup>th</sup> March, 2023
99	M/s. Ankleshwar Research and Analytical, Infrastructure Ltd. (ARAIL)  Plot No. 1501, Near Atik Bakery GIDC, Ankleshwar-393002, Gujarat	(i) Dr. Hardikkumar Thakar (ii) Mr. Mihir Trivedi (iii) Dr. Gaurang Vyas	1 <sup>st</sup> June , 2021  To  24 <sup>th</sup> November,2023
101	M/s. Earthcare Labs Private Limited,  C-11, Amar Enclave, Commercial Wing, Jog Layout, Prashant	(i) Mr. Kishor L. Jadhav (ii) Mrs. Renuka K. Jadhav (iii) Mr. Chandrakant P. Jadhav	1 <sup>st</sup> June , 2021  To  22 <sup>nd</sup> November, 2023



	Nagar, Near Ajni Square, Nagpur-440015, Maharashtra		
106	M/s. Chandigarh Pollution Testing Laboratory, E-126, Phase-VII, Industrial Area, Mohali-160055, Punjab	(i) Mr. Ranbir Singh Rana (ii) Mr. Sital Singh (iii) Mr. Sandeep Singh Dhanoa	1 <sup>st</sup> June , 2021 To 8 <sup>th</sup> November, 2021
112	M/s. Edward Food Research and Analysis Centre Ltd. (EFRAC), Subhas Nagar , Post- Nilgunj Bazar, P.S. Barasat, Distt.- North 24 PGS, Kolkata-700121, West Bengal	(i) Mr. Kaushik Mandal (ii) Mr. Suresh Kumar Mandal	1 <sup>st</sup> June , 2021 To 23 <sup>rd</sup> April, 2022
119	M/s. Fare Labs Pvt. Ltd. L-17/3, DLF Phase-II, IFFCO Chowk, M.G. Road, Gurgaon-122002, Haryana	(i) Mr. Dwijendra Mathur (ii) Mr. C.S. Joshi (iii) Dr. Meenakshi Tripathi	1 <sup>st</sup> June , 2021 To 9 <sup>th</sup> January, 2023
127	M/s. Vardan Envirolab Plot No. 82/A, Sector-5, HSIIDC, IMT, Manesar, Gurgaon-122051, Haryana	(i) Mr. S.K. Sharma (ii) Mr. Gaurav Pratap Singh (iii) Dr. Shiv Prakash Singh	1 <sup>st</sup> June , 2021 To 6 <sup>th</sup> January, 2023
138	M/s. Food Hygiene and Health Laboratory, Survey No. 126/10, Plot No. -1 , Hadapsar Industrial Estate, Hadapsar, Tal – Haveli, District – Pune-411013, Maharashtra	(i) Mr. Rohan Despande (ii) Ms. Seema Satish Bakde (iii) Ms. Sushma Mahesh Thorat	1 <sup>st</sup> June , 2021 To 29 <sup>th</sup> March, 2024”

(iii) after Sl. No. 201 and the entries relating thereto, the following Sl. No. and entries shall be inserted, namely:-

Sl. No.	Name of the Laboratory	Name of the Government Analyst	Recognition valid up to
(1)	(2)	(3)	(4)
“202	M/s. Azis Labs, Plot No. M-43, Sector-3, Pithampur Distt.- Dhar-454774, Madhya Pradesh	(i) Mr. Ravi Shankar Sahai (ii) Mr. Manoj Bamniya (iii) Ms. Nikita Bhand	1 <sup>st</sup> June , 2021 To 28 <sup>th</sup> February, 2023
203	M/s. Creative Enviro Services, 42, Door Sanchar Nagar, Near Savoy Complex Arera Colony, Bhopal-462039, Madhya Pradesh	(i) Dr. G.K. Jais (ii) Mr. Santosh Khantal (iii) Ms. Amrita Mishra	1 <sup>st</sup> June , 2021 To 11 <sup>th</sup> October, 2021

204	M/s. Asia Enviro Lab,  HI-837, Near Pollution Board, Phase-II, RIICO Industrial Area, Bhiwadi, District- Alwar-301019, Rajasthan	(i) Shri Vikram Singh (ii) Shri Rohtash	1 <sup>st</sup> June , 2021  To  23 <sup>rd</sup> December, 2023
205	M/s. Quality Research and Analytical Labs.,  341, Ground Floor, Functional Industrial Area, Patparganj, New Delhi-110092	(i) Dr. Gaurav Maheshwari (ii) Miss Anita Singh	1 <sup>st</sup> June , 2021  To  21 <sup>st</sup> October, 2023
206	M/s. Delhi Analytical Research Laboratory,  Plot No. 2, Timber Block, Jhilmil Industrial Area, Delhi-110095	(i) Dr. Priyanka Mishra (ii) Mr. Vinay Gupta (iii) Mr. Nao Jyoti Kumar Gupta	1 <sup>st</sup> June , 2021  To  12 <sup>th</sup> November, 2021
207	M/s. Vardan EnviroLab,  Plot No. – 24 and 25, Narayan Vihar, B Block, Mansarovar, Jaipur- 302035, Rajasthan	(i) Mr. Rajinder Singh Yadav (ii) Mr. Raj Kumar Yadav (iii) Mr. Nemi Chand Choudhary	1 <sup>st</sup> June , 2021  To  6 <sup>th</sup> January, 2023
208	M/s. Environment Testing Lab,  Shop No. 1, Near Dena Bank, Bass Road, Ramnagar, Ddharuhera, Rewari-123106, Haryana	(i) Mr. Kartar Singh (ii) Mr. Hemraj	1 <sup>st</sup> June , 2021  To  23 <sup>rd</sup> March, 2024
209	M/s. Ultimate Envirolytical Solution,  HDD 272, Phase-3, Near J.P. Chawk, Kabir Nagar, Ring Road 2, Raipur-492099 Chattisgarh	(i) Mr. Anurag K. Shrivastava (ii) Mr. Little Kumar Prajapati (iii) Mr. Pramod Kumar Choubey	1 <sup>st</sup> June , 2021  To  25 <sup>th</sup> June, 2022
210	M/s. Legion Laboratories Pvt. Ltd.,  B-6/7, Site-5, UPSIDC, Kasna Industrial Area, Greater Noida- 201306, Uttar Pradesh	(i) Dr. Shiv Prakash Singh (ii) Ms. Babita Dharwal (iii) Mr. Kushal Kant Sharma	1 <sup>st</sup> June , 2021  To  26 <sup>th</sup> February, 2023
211	M/s. Envirogreen Consultants (India) Pvt. Ltd.,  1B, Patel Circle, Machhla Magara, Udaipur-313002, Rajasthan	(i) Dr. Prakash Chandra Jain (ii) Mr. Shiv Kumar Lakhara (iii) Mr. Mayank Bhavsar	1 <sup>st</sup> June , 2021  To  23 <sup>rd</sup> July, 2023
212	M/s. Glens Innovation Labs Pvt. Ltd.,  No. 6/1, First Floor , Sri Jothy Complex, Murugesan Street, Bala Vinayagar Street, Arumbakkam,	(i) Dr. S. Suresh Kumar (ii) Mr. E. Prithivirajan (iii) Mr. S. Hariharasudhan	1 <sup>st</sup> June , 2021  To  12 <sup>th</sup> March, 2022

	Chennai-600106, Tamil Nadu		
213	M/s. Madhav and Associates, No. 37/2, Honnenahalli, Kallipura Road, Tamaka Post, Kolar Distt- 563103, Karnataka	(i) Shri N.V. Omprakash (ii) Ms. Usha J.	1 <sup>st</sup> June , 2021  To  15 <sup>th</sup> January, 2022.”.

[F. No. Q. 15018/21/2017-CPW]

NARESH PAL GANGWAR, Jt. Secy.

**Note:** The principal notification was published in the Gazette of India, Extraordinary, Part II, Section 3, Sub-section (ii) *vide* number S.O. 1174 (E), dated the 18<sup>th</sup> July, 2007 and was last amended *vide* notification Number S.O. 4304(E), dated the 11<sup>th</sup> November,2020.

# **ANNEXURE-IV**



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

Report No.: AEL/GSL/17052022/AA/01	Reporting Date: 20/05/2022
Issued to: M/s Globus spirits limited Plot No. B7, Panagarh Industrial Park Panagarh, Distt. Purba Badhaman West Bengal Pin-713148	Sample I'd : AEL/GSL/170522/AA/01 Date : 17.05.2022 Period of testing : 17.05.2022 to 20.05.2022

SAMPLE PARTICULARS:	
Type of the Sample	Ambient Air Sample
Date of Sampling	12.05.2022 to 13.05.2022
Point of Sample Collection	Project Site- I
Sample Collected By	Lab Rep.
Purpose of Analysis	Monitoring

SAMPLE OBSERVATIONS	
Sampling flow rate (m <sup>3</sup> /min.)	1.13
Period of sampling (minutes)	1440.6
Total volume of air sampled (m <sup>3</sup> )	1627.9

Sr. No.	Parameters	Unit	Results	Standards Limit as Per NAAQS	Test Protocol
1	Particulate Matter (PM <sub>10</sub> )	µg/m <sup>3</sup>	95.4	100	IS: 5182, (P-23)
2	Particulate Matter (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	54.1	60	As per CPCB Guidelines
3	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	15.9	80	IS: 5182, (P-2)
4	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	46.2	80	IS: 5182, (P-6)
5	Carbon Mono Oxide (CO)	mg/m <sup>3</sup>	1.14	4	IS: 5182, (P-10)
6	Hydrocarbon (HC)	mg/m <sup>3</sup>	<0.1	---	AAPHA-Air

Checked By 

Authorized Signatory   


- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

Report No.: AEL/GSL/17052022/AA/02	Reporting Date: 20/05/2022
Issued to: M/s Globus spirits limited Plot No. B7, Panagarh Industrial Park Panagarh, Distt. Purba Badhaman West Bengal Pin-713148	Sample I'd : AEL/GSL/170522/AA/02 Date : 17.05.2022 Period of testing : 17.05.2022 to 20.05.2022

SAMPLE PARTICULARS:	
Type of the Sample	Ambient Air Sample
Date of Sampling	12.05.2022 to 13.05.2022
Point of Sample Collection	Project Site- II
Sample Collected By	Lab Rep.
Purpose of Analysis	Monitoring

SAMPLE OBSERVATIONS	
Sampling flow rate (m <sup>3</sup> /min.)	1.12
Period of sampling (minutes)	1440.6
Total volume of air sampled (m <sup>3</sup> )	1613.5

Sr. No.	Parameters	Unit	Results	Standards Limit as Per NAAQS	Test Protocol
1	Particulate Matter (PM <sub>10</sub> )	µg/m <sup>3</sup>	90.6	100	IS: 5182, (P-23)
2	Particulate Matter (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	51.2	60	As per CPCB Guidelines
3	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	17.8	80	IS: 5182, (P-2)
4	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	48.4	80	IS: 5182, (P-6)
5	Carbon Mono Oxide (CO)	mg/m <sup>3</sup>	1.10	4	IS: 5182, (P-10)
6	Hydrocarbon (HC)	mg/m <sup>3</sup>	<0.1	---	AAPHA-Air

Checked By

Authorized Signatory



- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

Report No.: AEL/GSL/17052022/AA/03	Reporting Date: 20/05/2022
Issued to: M/s Globus spirits limited Plot No. B7, Panagarh Industrial Park Panagarh, Distt. Purba Badhaman West Bengal Pin-713148	Sample I'd : AEL/GSL/170522/AA/03 Date : 17.05.2022 Period of testing : 17.05.2022 to 20.05.2022

### SAMPLE PARTICULARS:

Type of the Sample	Ambient Air Sample
Date of Sampling	12.05.2022 to 13.05.2022
Point of Sample Collection	Village Kota
Sample Collected By	Lab Rep.
Purpose of Analysis	Monitoring

### SAMPLE OBSERVATIONS

Sampling flow rate (m <sup>3</sup> /min.)	1.15
Period of sampling (minutes)	1438.6
Total volume of air sampled (m <sup>3</sup> )	1654.4

Sr. No.	Parameters	Unit	Results	Standards Limit as Per NAAQS	Test Protocol
1	Particulate Matter (PM <sub>10</sub> )	µg/m <sup>3</sup>	93.7	100	IS: 5182, (P-23)
2	Particulate Matter (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	52.9	60	As per CPCB Guidelines
3	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	14.8	80	IS: 5182, (P-2)
4	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	44.4	80	IS: 5182, (P-6)
5	Carbon Mono Oxide (CO)	mg/m <sup>3</sup>	1.16	4	IS: 5182, (P-10)
6	Hydrocarbon (HC)	mg/m <sup>3</sup>	<0.1	---	AAPHA-Air

Checked By

Authorized Signatory



- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

Report No.: AEL/GSL/17052022/AA/04

Reporting Date: 20/05/2022

Issued to:  
M/s Globus spirits limited  
Plot No. B7, Panagarh Industrial Park  
Panagarh, Distt. Purba Badhaman  
West Bengal Pin-713148

Sample I'd : AEL/GSL/170522/AA/04  
Date : 17.05.2022  
Period of testing : 17.05.2022 to 20.05.2022

### SAMPLE PARTICULARS:

Type of the Sample	Ambient Air Sample
Date of Sampling	14.05.2022 to 15.05.2022
Point of Sample Collection	Village Maro
Sample Collected By	Lab Rep.
Purpose of Analysis	Monitoring

### SAMPLE OBSERVATIONS

Sampling flow rate (m <sup>3</sup> /min.)	1.16
Period of sampling (minutes)	1442.6
Total volume of air sampled (m <sup>3</sup> )	1615.7

Sr. No.	Parameters	Unit	Results	Standards Limit as Per NAAQS	Test Protocol
1	Particulate Matter (PM <sub>10</sub> )	µg/m <sup>3</sup>	88.1	100	IS: 5182, (P-23)
2	Particulate Matter (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	49.2	60	As per CPCB Guidelines
3	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	17.4	80	IS: 5182, (P-2)
4	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	46.0	80	IS: 5182, (P-6)
5	Carbon Mono Oxide (CO)	mg/m <sup>3</sup>	1.18	4	IS: 5182, (P-10)
6	Hydrocarbon (HC)	mg/m <sup>3</sup>	<0.1	---	AAPHA-Air

Checked By

Authorized Signatory



- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.





# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

Report No.: AEL/GSL/17052022/AA/05 Reporting Date:20/05/2022

Issued to: M/s Globus spirits limited Plot No. B7, Panagarh Industrial Park Panagarh, Distt. Purba Badhaman West Bengal Pin-713148	Sample I'd : AEL/GSL/170522/AA/05 Date : 17.05.2022 Period of testing : 17.05.2022 to 20.05.2022
--	--

SAMPLE PARTICULARS:	
Type of the Sample	Ambient Air Sample
Date of Sampling	14.05.2022 to 15.05.2022
Point of Sample Collection	Village Balarampur
Sample Collected By	Lab Rep.
Purpose of Analysis	Monitoring

SAMPLE OBSERVATIONS	
Sampling flow rate (m <sup>3</sup> /min.)	1.18
Period of sampling (minutes)	1438.6
Total volume of air sampled (m <sup>3</sup> )	1697.5

Sr. No.	Parameters	Unit	Results	Standards Limit as Per NAAQS	Test Protocol
1	Particulate Matter (PM <sub>10</sub> )	µg/m <sup>3</sup>	90.6	100	IS: 5182, (P-23)
2	Particulate Matter (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	51.2	60	As per CPCB Guidelines
3	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	16.4	80	IS: 5182, (P-2)
4	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	44.0	80	IS: 5182, (P-6)
5	Carbon Mono Oxide (CO)	mg/m <sup>3</sup>	1.37	4	IS: 5182, (P-10)
6	Hydrocarbon (HC)	mg/m <sup>3</sup>	<0.1	---	AAPHA-Air

Checked By

Authorized Signatory

- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report.  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.

# **ANNEXURE-V**

**FORM-4**


[See Rules 9(3) and 10(5)]

Office of the Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Purba Bardhaman

**PERMIT FOR SINKING OF NEW WELL**

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources  
(Management, Control and Regulation) Act 2005.]

**PERMIT NO : P020408004167000001TLE**

1. a) Name of the Unit: : GLOBUS SPIRITS LIMITED  
 b) Address of the Unit: : PLOT NO B-7, PANAGARH INDUSTRIAL PARK PANAGARH WEST  
 BENGAL 713148  
 c) Category of farmer : Others  
 d) Serial No. of Application Form and Date Of Submission: : BP/A-0504, SL- 8, 30-10-2021  
 e) Speciman Signature of the User : 

**2 Location Particulars**

- a) District : Purba Bardhaman  
 b) Block, Mouza, J.L. No., Plot No. : Block- Ausgram-II,  
 Mouza - KOTA CHANDIPUR  
 J.L. No.- 80,  
 Plot No.- 4167  
 c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,  
 Ward No.- ,Borough No.- , Holding No.- ,Plot No.-. 4167


**3 Particulars of the proposed well**

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	100
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 200 mm
e) Approx Strainer Length for tubewell	12 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	5
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal ( m <sup>3</sup> /hr.)	40
k) Maximum allowable running hours per day	8.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Purba Bardhaman

Date : 14-01-2022

  
 Geologist, SWID & Member Secretary,  
 District Level Ground Water Resources Development  
 Authority (DLA), Purba Bardhaman

**Conditions:**

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

NB- Please See Reverse



**FORM-4**


[See Rules 9(3) and 10(5)]

Office of the Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Purba Bardhaman

**PERMIT FOR SINKING OF NEWWELL**

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources  
(Management, Control and Regulation) Act 2005.]

**PERMIT NO : PO204080041530000001TLE**

1. a) Name of the Unit: : GLOBUS SPIRITS LIMITED  
 b) Address of the Unit: : PLOT NO B-7, PANAGARH INDUSTRIAL PARK, PANAGARH, WEST  
 BENGAL 713148  
 c) Category of farmer : Others  
 d) Serial No. of Application Form and Date Of Submission: : BP/A-0504, SL- 9, 30-10-2021  
 e) Speciman Signature of the User : 

**2 Location Particulars**

- a) District : : Purba Bardhaman  
 b) Block, Mouza, J.L. No., Plot No. : Block- Ausgram-II,  
 Mouza - KOTA CHANDIPUR  
 J.L. No.- 80,  
 Plot No.- 4153  
 c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,  
 Ward No.- , Borough No.- , Holding No.- , Plot No.-. 4153


**3 Particulars of the proposed well**

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	100
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 200 mm
e) Approx Strainer Length for tubewell	12 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	5
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal ( m <sup>3</sup> /hr.)	40
k) Maximum allowable running hours per day	8.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Purba Bardhaman

Date : 14-01-2022

  
 Geologist, SWID & Member Secretary,  
 District Level Ground Water Resources Development  
 Authority (DLA), Purba Bardhaman

**Conditions:**

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

NB- Please See Reverse

Conditionality for operating this Tubewell

- 1 Construction of RWH as per DLA
- 2 Ground water quality report to be submitted by the applicant every year
- 3 Installation of Water meter is mandatory
- 4 Maintain a logbook for installed water meter and submit report every year to the undersigned

*[Signature]*

Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Purba Bardhaman

END

Remarks:

Tube well

100

Industrial

100 X 200 mm

12 m

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

10 mm

# FORM 4

[See Rules 9(3) and 10(5)]

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

066498

## PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]

P- 1585

PERMIT NO ..... P020406204159000001TSE




1. (a) Name of the applicant (user) : Shri/Smt. GLOBUS SPIRITS LTD.  
(b) Son/Daughter of :  
(c) Address of the applicant : B-7,PANAGARH INDUSTRIAL PARK , PANAGARH,  
BURDWAN  
(d) Category of farmer (Please tick) : Small Farmer / Marginal Farmer / Others  
(in case of irrigation well)  
(e) Serial No. of application Form and date of submission : BP/A0149,SL.NO:66; DT. 06.08.2015  
(f) Specimen signature of the user : Jagan bandhu Pal.
2. Location particulars---  
(a) District : BURDWAN  
(b) Block, Mouza, J. L. No. , Plot No. : AUSGRAM - II , KOTACHANDIPUR, 80,4159(B7)  
(c) Municipality / Corporation :  
Ward No. / Borough No., Holding No. :
3. Particulars of the proposed well and pumping device---  
(a) Type of the well : TUBEWELL  
(b) Approx. depth of the well (m) : 120M  
(c) Purpose of the well : INDUSTRIAL  
(d) Assembly size (for tube well) : 100 mm. X 150mm.  
(e) Approx. strainer length (for tube well) : 12 m.  
(f) Diameter (for dug well) : m.  
(g) Type of pump to be used : SUBMERSIBLE  
(h) H. P. of the pump : 5 H.P.  
(i) Operational device : Electric Motor  
(j) Rate of withdrawal (m<sup>3</sup> / hr.) : 35 cubic meter/hr  
(k) Maximum allowable running hours per day : 4 Hour Per Day

This permit authorizes the owner applicant (user) to sink a well in the location specified at S1. (2) for extraction of ground water at a rate not exceeding that as shown at S1. (3) (j) and for running hours / day as shown at S1. (3) (K), and is valid subject to the observance of the conditions stated overleaf.

Place : Burdwan

Date : 27/11/2015



Jagan bandhu Pal.  
27/11/2015

Signature of the Issuing Authority  
and Designation.  
Geologist Member Secretary,  
District level Ground, Water Resource  
Development Authority, Burdwan

### Conditions :

- (1) In case of any change of ownership of the proposed well, fresh registration has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S1. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this permit.
- (3) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (4) Any other condition imposed by the concerned Authority.

N.B: Conditionalities are imposed on the reverse page of the certificate.



**CONDITIONALITIES FOR PACKAGE DRINKING WATER PROJECTS AND INDUSTRIES/  
INFRASTRUCTURES:**

1. Roof Top Rain Water harvesting for Surface Storage.
2. Excavation of pond of size 150 ft. x 50ft. with 2 m. depth.
3. Chemical Quality Test Report from BIS approved Laboratory in each year to be submitted to the Geologist & Member Secretary, DLA.
4. The Certificate of Permit will be reviewed in every year from the date of issuance of Permit-based on local hydrogeological conditions that may prevail afterwards.
5. Arrangement of Water Meter at the outlet of Tube Well discharge to be monitored by Govt. Officials as assigned by DLA.
6. The enhanced rate if any in future (including the rates revised retrospectively) of fees/ charges/ taxes for draws of ground water on annual basis, should be borne by applications for operating their tube wells in a continuous manner.

(Pranamika  
27/11/2015)

**Geologist Member Secretary,  
District level Ground, Water Resource  
Development Authority, Burdwan**



**FORM 4**

[See Rules 9(3) and 10(5)]


**066497**

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

**PERMIT FOR SINKING OF NEW WELL**

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]

**P- 1584**PERMIT NO ..... **P0204062041220000001TSE**


1. (a) Name of the applicant (user) : Shri/Smt. **GLOBUS SPIRITS LTD.**  
 (b) Son / Daughter of :  
 (c) Address of the applicant : **B-7, PANAGARH INDUSTRIAL PARK , PANAGARH, BURDWAN**  
 (d) Category of farmer (Please tick) : **Small Farmer / Marginal Farmer / Others**  
 (in case of irrigation well)  
 (e) Serial No. of application Form and date of submission : **BP/A0149, SL.NO:67; DT. 06.08.2015**  
 (f) Specimen signature of the user : 
2. Location particulars---  
 (a) District : **BURDWAN**  
 (b) Block, Mouza, J. L. No. , Plot No. : **AUSGRAM - II , KOTACHANDIPUR, 80,4122B7)**  
 (c) Municipality / Corporation :  
 Ward No. / Borough No., Holding No. :
3. Particulars of the proposed well and pumping device---  
 (a) Type of the well : **TUBEWELL**  
 (b) Approx. depth of the well (m) : **120M**  
 (c) Purpose of the well : **INDUSTRIAL**  
 (d) Assembly size (for tube well) : **100 mm. X 150 mm.**  
 (e) Approx. strainer length (for tube well) : **12 m.**  
 (f) Diameter (for dug well) : **m.**  
 (g) Type of pump to be used : **SUBMERSIBLE**  
 (h) H. P. of the pump : **5 H.P**  
 (i) Operational device : **Electric Motor**  
 (j) Rate of withdrawal (m<sup>3</sup>/hr.) : **35 cubic meter/hr**  
 (k) Maximum allowable running hours per day : **4 Hour Per Day**

This permit authorizes the owner applicant (user) to sink a well in the location specified at S1. (2) for extraction of ground water at a rate not exceeding that as shown at S1. (3) (j) and for running hours / day as shown at S1. (3) (K), and is valid subject to the observance of the conditions stated overleaf.

Place : **Burdwan**Date : **27/11/2015****Conditions :**

- (1) In case of any change of ownership of the proposed well, fresh registration has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S1. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this permit.
- (3) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (4) Any other condition imposed by the concerned Authority.

*N.B: Conditionalities are imposed on the reverse page of the certificate.*



*J. Ramani*  
**27.11.2015**

Signature of the Issuing Authority and Designation.

Geologist Member Secretary,  
 District level Ground, Water Resource  
 Development Authority, Burdwan

**CONDITIONALITIES FOR PACKAGE DRINKING WATER PROJECTS AND INDUSTRIES/  
INFRASTRUCTURES:**

1. Roof Top Rain Water harvesting for Surface Storage.
2. Excavation of pond of size 150 ft. x 50ft. with 2 m. depth.
3. Chemical Quality Test Report from BIS approved Laboratory in each year to be submitted to the Geologist & Member Secretary, DLA.
4. The Certificate of Permit will be reviewed in every year from the date of issuance of Permit-based on local hydrogeological conditions that may prevail afterwards.
5. Arrangement of Water Meter at the outlet of Tube Well discharge to be monitored by Govt. Officials as assigned by DLA.
6. The enhanced rate if any in future (including the rates revised retrospectively) of fees/ charges/ taxes for draws of ground water on annual basis, should be borne by applications for operating their tube wells in a continuous manner.

*Sramank*  
27/11/2015

Geologist Member Secretary,  
District level Ground, Water Resource  
Development Authority, Burdwan

# FORM 4

[See Rules 9(3) and 10(5)]

066717

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

## PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]

P- 1786

P020406204135000001TSE

PERMIT NO .....



1. (a) Name of the applicant (user) : Shri/Smt. <sup>5</sup> GLOBUS SPIRIT LTD  
(b) Son / Daughter of :  
(c) Address of the applicant : PANAGARH INDUSTRIAL PARK, PANAGARH, 713148  
(d) Category of farmer (Please tick) : Small Farmer / Marginal Farmer / Others  
(in case of irrigation well)  
(e) Serial No. of application Form and date of submission : BP/A0456, SL.NO:07; DT. 16.02.2016  
(f) Specimen signature of the user : *Jagan bandhu Pal.*
2. Location particulars---  
(a) District : BURDWAN  
(b) Block, Mouza, J. L. No., Plot No. : AUSGRAM - II, KOTACHANDIPUR, 30, 4135(B7)  
(c) Municipality / Corporation :  
Ward No. / Borough No., Holding No. :
3. Particulars of the proposed well and pumping device---  
(a) Type of the well : TUBEWELL  
(b) Approx. depth of the well (m) : 100m  
(c) Purpose of the well : INDUSTRIAL  
(d) Assembly size (for tube well) : 100 mm. X 50 mm.  
(e) Approx. strainer length (for tube well) : 12 m.  
(f) Diameter (for dug well) : m.  
(g) Type of pump to be used : SUBMERSIBLE  
(h) H. P. of the pump : 5 H.P.  
(i) Operational device : Electric Motor  
(j) Rate of withdrawal (m<sup>3</sup>/hr.) : 30 m<sup>3</sup>/hr  
(k) Maximum allowable running hours per day : 4 Hour Per Day

This permit authorizes the owner applicant (user) to sink a well in the location specified at S1. (2) for extraction of ground water at a rate not exceeding that as shown at S1. (3) (j) and for running hours / day as shown at S1. (3) (K), and is valid subject to the observance of the conditions stated overleaf.

Place : Burdwan

Date : 19/07/2016



*Jaganmohi*  
19.07.2016  
Geologist, SWID &  
Member Secretary, District Level Authority  
Ground Water Resources Development Authority  
Burdwan-713101

### Conditions :

- (1) In case of any change of ownership of the proposed well, fresh registration has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S1. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this permit.
- (3) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (4) Any other condition imposed by the concerned Authority.

*N.B. Conditionalities are imposed on the reverse page of the certificate.*



**CONDITIONALITIES FOR PACKAGE DRINKING WATER PROJECTS AND INDUSTRIES/  
INFRASTRUCTURES:**

1. Roof Top Rain Water harvesting for Surface Storage.
2. Excavation of pond of size 150 ft. x 50ft. with 2 m. depth.
3. Chemical Quality Test Report from BIS approved Laboratory in each year to be submitted to the Geologist & Member Secretary, DLA.
4. The Certificate of Permit will be reviewed in every year from the date of issuance of Permit-based on local hydrogeological conditions that may prevail afterwards.
5. Arrangement of Water Meter at the outlet of Tube Well discharge to be monitored by Govt. Officials as assigned by DLA.
6. The enhanced rate if any in future (including the rates revised retrospectively) of fees/ charges/ taxes for draws of ground water on annual basis, should be borne by applications for operating their tube wells in a continuous manner.

*S. Ramani*  
19.07.2016

**Geologist, SWID &  
Member Secretary, District Level  
Ground Water Resources Development Authority  
Burdwan-713101**



# FORM 4

[See Rules 9(3) and 10(5)]

066718

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

## PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b)/7(4)(b)/7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]

**P- 1787**

PERMIT NO ..... **P020406204128000001TSE**



1. (a) Name of the applicant (user) : Shri/Smt. **GLOBUSSPIRITLTD**  
(b) Son / Daughter of :  
(c) Address of the applicant : **PANAGARH INDUSTRIAL PARK, PANAGARH, 713148**  
(d) Category of farmer (Please tick) : **Small Farmer / Marginal Farmer / Others**  
(in case of irrigation well)  
(e) Serial No. of application Form : **BP/A0456, SL.NO:08; DT. 16.02.2016**  
and date of submission  
(f) Specimen signature of the user : **Jaya Banerjee Pal.**
2. Location particulars---  
(a) District : **BURDWAN**  
(b) Block, Mouza, J. L. No., Plot No. : **AUSGRAM - II, KOTACHANDIPUR, 80, 4128(B7)**  
(c) Municipality / Corporation :  
Ward No. / Borough No., Holding No. :
3. Particulars of the proposed well and pumping device---  
(a) Type of the well : **TUBEWELL**  
(b) Approx. depth of the well (m) : **100m**  
(c) Purpose of the well : **INDUSTRIAL**  
(d) Assembly size (for tube well) : **100 mm. X 150mm.**  
(e) Approx. strainer length (for tube well) : **12 m.**  
(f) Diameter (for dug well) : **m.**  
(g) Type of pump to be used : **SUBMERSIBLE**  
(h) H. P. of the pump : **5 H.P**  
(i) Operational device : **Electric Motor**  
(j) Rate of withdrawal (m<sup>3</sup>/hr.) : **30 m<sup>3</sup>/hr**  
(k) Maximum allowable running hours per day : **4 Hour Per Day**

This permit authorizes the owner applicant (user) to sink a well in the location specified at S1. (2) for extraction of ground water at a rate not exceeding that as shown at S1. (3) (j) and for running hours / day as shown at S1. (3) (K), and is valid subject to the observance of the conditions stated overleaf.

Place : **Burdwan**

Date : **19/07/2016**



**Geologist, SWID &**  
**Member Secretary, District Level,**  
**Ground Water Resources Development Authority**  
**Burdwan-713101**

**Conditions :**

- (1) In case of any change of ownership of the proposed well, fresh registration has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S1. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this permit.
- (3) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (4) Any other condition imposed by the concerned Authority.

**N: B: Conditionalities are imposed on the reverse page of the certificate**



**CONDITIONALITIES FOR PACKAGE DRINKING WATER PROJECTS AND INDUSTRIES/  
INFRASTRUCTURES:**

1. Roof Top Rain Water harvesting for Surface Storage.
2. Excavation of pond of size 150 ft. x 50ft. with 2 m. depth.
3. Chemical Quality Test Report from BIS approved Laboratory in each year to be submitted to the Geologist & Member Secretary, DLA.
4. The Certificate of Permit will be reviewed in every year from the date of issuance of Permit-based on local hydrogeological conditions that may prevail afterwards.
5. Arrangement of Water Meter at the outlet of Tube Well discharge to be monitored by Govt. Officials as assigned by DLA.
6. The enhanced rate if any in future (including the rates revised retrospectively) of fees/ charges/ taxes for drawls of ground water on annual basis, should be borne by applications for operating their tube wells in a continuous manner.

*J. Ramani*  
19-07-2016

**Geologist, SWID &  
Member Secretary, District Level  
Ground Water Resources Development Authority  
Burdwan-713101**

Geologist, SWID &  
Member Secretary, District Level  
Ground Water Resources Development Authority  
Burdwan-713101



**FORM-4**


[See Rules 9(3) and 10(5)]

Office of the Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Purba Bardhaman

**PERMIT FOR SINKING OF NEW WELL**

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources  
(Management, Control and Regulation) Act 2005.]

**PERMIT NO : P0204080041510000001TSE**

1. a) Name of the Unit: : GLOBUS SPIRITS LIMITED  
 b) Address of the Unit: : PLOT NO B-7, PANAGARH INDUSTRIAL PARK PANAGARH WEST  
 BENGAL 713148  
 c) Category of farmer : Others  
 d) Serial No. of Application Form and Date Of Submission: : BP/A-0504, SL- 12, 09-12-2021  
 e) Speciman Signature of the User : 

**2 Location Particulars**

- a) District : Purba Bardhaman  
 b) Block, Mouza, J.L. No., Plot No. : Block- Ausgram-II,  
 Mouza - KOTA CHANDIPUR  
 J.L. No.- 80,  
 Plot No.- 4151  
 c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,  
 Ward No.- , Borough No.- , Holding No.- , Plot No.-. 4151


**3 Particulars of the proposed well**

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	100
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 200 mm
e) Approx Strainer Length for tubewell	12 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	5
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal ( m <sup>3</sup> /hr.)	40
k) Maximum allowable running hours per day	8.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Purba Bardhaman

Date : 14-01-2022

  
 Geologist, SWID & Member Secretary,  
 District Level Ground Water Resources Development  
 Authority (DLA), Purba Bardhaman

**Conditions:**

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

NB- Please See Reverse

**Conditionality for operating this Tubewell**

- 1 Construction of RWH as per DLA
- 2 Ground water quality report to be submitted by the applicant every year
- 3 Installation of Water meter is mandatory
- 4 Maintain a logbook for installed water meter and submit report every year to the undersigned

*[Signature]*

**Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Purba Bardhaman**

**END**

Remarks:

1. Name of the user	100
2. Location of the tubewell	100
3. Depth of the tubewell	100
4. Type of the pump to be used	Submersible
5. H.P. of the pump	10
6. Operational Device of the pump	Electric Motor
7. Rate of the withdrawal (litre/hr)	10
8. % of maximum allowable operating hours per day	8.00

This permit authorizes the user/applicant (user) to sink a well at the location specified at S.1(2) for extraction of ground water of 100 lit/hr not exceeding that as shown at S.1(3) (i) and for running hours/day as shown at S.1(3)(8), and is valid subject to the observance of the condition as stated over-leaf.

Place: Purba Bardhaman

Date: 14-01-2022

**Geologist SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Purba Bardhaman**

**Conditions:**

1. In case of any change of ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S.1(2) and (3) of this notification shall be made without prior permission of the concerned Authority. Any deviation in this regard shall lead to the cancellation of this permit.
3. In case of any particular information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification in any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

**NB- Please See Reverse**



# **ANNEXURE-VI**



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiäenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

<b>Report No.:</b> AEL/GSL/15092022/W/01	<b>Reporting Date:</b> 20/09/2022
<b>Issued to:</b> M/s Globus spirits limited Plot No. B7, Panagarh Industrial Park Panagarh, Distt. Purba Badhaman West Bengal Pin-713148	<b>Sample I'd</b> : AEL/GSL/150922/W/01 <b>Date</b> : 15.09.2022 <b>Period of testing</b> : 15.09.2022 to 20.09.2022

### SAMPLE PARTICULARS:

<b>Type of the Sample</b>	Ground Water Sample
<b>Date of Sample Receiving</b>	12.09.2022
<b>Location</b>	Project Site -I
<b>Sample Collected By</b>	Customer
<b>Purpose of Analysis</b>	Monitoring

### TEST RESULTS:

Sr. No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500)		Test Protocol
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1	Colour	Hazen	<5	5 max.	15 max.	APHA 23 <sup>rd</sup> Ed.,2120 B
2	Odour	--	Agreeable	Agreeable	Agreeable	IS-3025(P-5)
3	Taste	--	Agreeable	Agreeable	Agreeable	IS-3025(P-7)
4	Turbidity	NTU	<1	1 max.	5 max	APHA 23 <sup>rd</sup> Ed.,2130 B
5	pH	--	6.82	6.5 - 8.5	No relaxation	APHA 23 <sup>rd</sup> Ed.,4500 H B
6	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	58.6	200 max.	600 max.	APHA 23 <sup>rd</sup> Ed.,2340 C
7	Iron,(as Fe)	mg/l	<0.05	0.30 max.	No relaxation.	APHA 23 <sup>rd</sup> Ed.,3111
8	Chloride,(as Cl)	mg/l	10.6	250 max.	1000 max.	APHA 23 <sup>rd</sup> Ed.,4500 Cl B
9	Residual Free Chlorine	mg/l	N.D.	0.20 max.	1 max	IS-3025(P-26)
10	Calcium Hardness, (as Ca)	mg/l	13.2	75 max.	200 max.	APHA 23 <sup>rd</sup> Ed.,3500 Ca A
11	Magnesium Hardness,(as Mg)	mg/l	6.1	30 max.	100 max.	APHA 23 <sup>rd</sup> Ed.,3500 Mg B
12	Total Dissolved Solids	mg/l	112.4	500 max.	2000 max.	APHA 23 <sup>rd</sup> Ed.,2540 C
13	Sulphate,(as SO <sub>4</sub> )	mg/l	2.52	200 max.	400 max.	APHA 23 <sup>rd</sup> Ed.,4500 SO <sub>4</sub> E
14	Fluoride,(as F)	mg/l	< 0.05	1.0 max.	1.5 max.	APHA 23 <sup>rd</sup> Ed.,4500
15	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	68.6	200 max.	600 max.	APHA 23 <sup>rd</sup> Ed.,2320 A
16	Chromium Total,(as Cr)	mg/l	<0.05	0.05 max.	No relaxation	IS 3025 (P- 52)
17	Hexa Chromium,(as Cr+6)	mg/l	<0.2	0.05 max.	No relaxation	APHA 23 <sup>rd</sup> Ed.,3500 Cr B
18	Nitrate,(as NO <sub>3</sub> )	mg/l	3.46	45 max.	No relaxation	IS-3025(P-34)
19	Zinc,(as Zn)	mg/l	< 0.1	5 max.	15 max.	IS-3025(P-49)
20	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	<0.001	0.001 max.	0.002 max.	IS-3025(P-43)
21	Copper,(as Cu)	mg/l	<0.05	0.05 max.	1.50 max.	IS-3025(P-42)
22	Manganese,(as Mn)	mg/l	<0.1	0.10 max.	0.30 max.	APHA 23 <sup>rd</sup> Ed.,3500 Mn B
23	Arsenic,(as As)	mg/l	N.D.	0.01 max.	0.05 max.	IS-3025(P-37)

- Note:**
1. The result listed refer only to the tested samples and applicable parameters.
  2. Sample will be destroyed one month from the date of issue of test certificate.
  3. Any complaints about this report should be communicated within 7 days of issue of this report
  4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

24	Aluminum, (as Al)	mg/l	N.D.	0.03 max.	0.20 max.	IS-3025(P-55)
25	Ammonia (as total ammonia-N)	mg/l	N.D.	0.5 max.	No relaxation	IS 3025 (P-34)
26	Lead,(as Pb)	mg/l	N.D.	0.01 max.	No relaxation	APHA 23 <sup>rd</sup> Ed.
27	Cadmium,(as Cd)	mg/l	N.D.	0.003 max.	No relaxation	IS-3025(P-41)
28	Selenium,(as Se)	mg/l	N.D.	0.01 max	No relaxation	IS-3025(P-56)
29	Boron, (as B)	mg/l	< 0.2	0.5 max	1.0 max	APHA 23 <sup>rd</sup> Ed.,4500 B C
30	Mercury, (as Hg)	mg/l	N.D.	0.001 max	No relaxation	IS-3025(P-48)
<b>Bacteriological Test Results</b>						
31	Coli form organisms /100 ml(MPN)	--	Absent	Shall not be detectable in any 100 ml sample		IS-15185:2016
32	E-Coli/ 100 ml	--	Absent	Shall not be detectable in any 100 ml sample		IS-15185:2016

Remarks- N.D- Not Detectable

Checked By

Authorized Signatory



- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

<b>Report No.:</b> AEL/GSL/15092022/W/02	<b>Reporting Date:</b> 20/09/2022
<b>Issued to:</b> M/s Globus spirits limited Plot No. B7, Panagarh Industrial Park Panagarh, Distt. Purba Badhaman West Bengal Pin-713148	<b>Sample I'd</b> : AEL/GSL/150922/W/02 <b>Date</b> : 15.09.2022 <b>Period of testing</b> : 15.09.2022 to 20.09.2022

### SAMPLE PARTICULARS:

<b>Type of the Sample</b>	Ground Water Sample
<b>Date of Sample Receiving</b>	12.09.2022
<b>Location</b>	Near Project Site -II
<b>Sample Collected By</b>	Customer
<b>Purpose of Analysis</b>	Monitoring

### TEST RESULTS:

Sr. No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500)		Test Protocol
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1	Colour	Hazen	<5	5 max.	15 max.	APHA 23 <sup>rd</sup> Ed.,2120 B
2	Odour	--	Agreeable	Agreeable	Agreeable	IS-3025(P-5)
3	Taste	--	Agreeable	Agreeable	Agreeable	IS-3025(P-7)
4	Turbidity	NTU	<1	1 max.	5 max	APHA 23 <sup>rd</sup> Ed.,2130 B
5	pH	--	7.20	6.5 - 8.5	No relaxation	APHA 23 <sup>rd</sup> Ed.,4500 H B
6	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	62.6	200 max.	600 max.	APHA 23 <sup>rd</sup> Ed.,2340 C
7	Iron,(as Fe)	mg/l	<0.05	0.30 max.	No relaxation.	APHA 23 <sup>rd</sup> Ed.,3111
8	Chloride,(as Cl)	mg/l	13.4	250 max.	1000 max.	APHA 23 <sup>rd</sup> Ed.,4500 Cl B
9	Residual Free Chlorine	mg/l	N.D.	0.20 max.	1 max	IS-3025(P-26)
10	Calcium Hardness, (as Ca)	mg/l	15.4	75 max.	200 max.	APHA 23 <sup>rd</sup> Ed.,3500 Ca A
11	Magnesium Hardness,(as Mg)	mg/l	5.78	30 max.	100 max.	APHA 23 <sup>rd</sup> Ed.,3500 Mg B
12	Total Dissolved Solids	mg/l	125.0	500 max.	2000 max.	APHA 23 <sup>rd</sup> Ed.,2540 C
13	Sulphate,(as SO <sub>4</sub> )	mg/l	2.68	200 max.	400 max.	APHA 23 <sup>rd</sup> Ed.,4500 SO <sub>4</sub> E
14	Fluoride,(as F)	mg/l	< 0.05	1.0 max.	1.5 max.	APHA 23 <sup>rd</sup> Ed.,4500
15	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	70.2	200 max.	600 max.	APHA 23 <sup>rd</sup> Ed.,2320 A
16	Chromium Total,(as Cr)	mg/l	<0.05	0.05 max.	No relaxation	IS 3025 (P- 52)
17	Hexa Chromium,(as Cr+6)	mg/l	<0.2	0.05 max.	No relaxation	APHA 23 <sup>rd</sup> Ed.,3500 Cr B
18	Nitrate,(as NO <sub>3</sub> )	mg/l	3.22	45 max.	No relaxation	IS-3025(P-34)
19	Zinc,(as Zn)	mg/l	< 0.1	5 max.	15 max.	IS-3025(P-49)
20	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	<0.001	0.001 max.	0.002 max.	IS-3025(P-43)
21	Copper,(as Cu)	mg/l	<0.05	0.05 max.	1.50 max.	IS-3025(P-42)
22	Manganese,(as Mn)	mg/l	<0.1	0.10 max.	0.30 max.	APHA 23 <sup>rd</sup> Ed.,3500 Mn B

- Note:** 1. The result listed refer only to the tested samples and applicable parameters.  
 2. Sample will be destroyed one month from the date of issue of test certificate.  
 3. Any complaints about this report should be communicated within 7 days of issue of this report  
 4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

23	Arsenic,(as As)	mg/l	N.D.	0.01 max.	0.05 max.	IS-3025(P-37)
24	Aluminum, (as Al)	mg/l	N.D.	0.03 max.	0.20 max.	IS-3025(P-55)
25	Ammonia (as total ammonia-N)	mg/l	N.D.	0.5 max.	No relaxation	IS 3025 (P-34)
26	Lead,(as Pb)	mg/l	N.D.	0.01 max.	No relaxation	APHA 23 <sup>rd</sup> Ed.
27	Cadmium,(as Cd)	mg/l	N.D.	0.003 max.	No relaxation	IS-3025(P-41)
28	Selenium,(as Se)	mg/l	N.D.	0.01 max	No relaxation	IS-3025(P-56)
29	Boron, (as B)	mg/l	< 0.2	0.5 max	1.0 max	APHA 23 <sup>rd</sup> Ed.,4500 B C
30	Mercury, (as Hg)	mg/l	N.D.	0.001 max	No relaxation	IS-3025(P-48)
<b>Bacteriological Test Results</b>						
31	Coli form organisms /100 ml(MPN)	--	Absent	Shall not be detectable in any 100 ml sample		IS-15185:2016
32	E-Coli/ 100 ml	--	Absent	Shall not be detectable in any 100 ml sample		IS-15185:2016

Remarks- N.D- Not Detectable

Checked By

Authorized Signatory

- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

<b>Report No.:</b> AEL/GSL/15092022/W/03	<b>Reporting Date:</b> 20/09/2022
Issued to: <b>M/s Globus spirits limited</b> <b>Plot No. B7, Panagarh Industrial Park</b> <b>Panagarh, Distt. Purba Badhaman</b> <b>West Bengal Pin-713148</b>	<b>Sample I'd</b> : AEL/GSL/150922/W/03 <b>Date</b> : 15.09.2022 <b>Period of testing</b> : 15.09.2022 to 20.09.2022

SAMPLE PARTICULARS:	
<b>Type of the Sample</b>	Ground Water Sample
<b>Date of Sample Receiving</b>	12.09.2022
<b>Location</b>	Village Kota
<b>Sample Collected By</b>	Customer
<b>Purpose of Analysis</b>	Monitoring

TEST RESULTS:						
Sr. No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500)		Test Protocol
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1	Colour	Hazen	<5	5 max.	15 max.	APHA 23 <sup>rd</sup> Ed.,2120 B
2	Odour	--	Agreeable	Agreeable	Agreeable	IS-3025(P-5)
3	Taste	--	Agreeable	Agreeable	Agreeable	IS-3025(P-7)
4	Turbidity	NTU	<1	1 max.	5 max	APHA 23 <sup>rd</sup> Ed.,2130 B
5	pH	--	7.46	6.5 - 8.5	No relaxation	APHA 23 <sup>rd</sup> Ed.,4500 H B
6	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	62.8	200 max.	600 max.	APHA 23 <sup>rd</sup> Ed.,2340 C
7	Iron,(as Fe)	mg/l	<0.05	0.30 max.	No relaxation.	APHA 23 <sup>rd</sup> Ed.,3111
8	Chloride,(as Cl)	mg/l	9.5	250 max.	1000 max.	APHA 23 <sup>rd</sup> Ed.,4500 Cl B
9	Residual Free Chlorine	mg/l	N.D.	0.20 max.	1 max	IS-3025(P-26)
10	Calcium Hardness, (as Ca)	mg/l	12.6	75 max.	200 max.	APHA 23 <sup>rd</sup> Ed.,3500 Ca A
11	Magnesium Hardness,(as Mg)	mg/l	7.52	30 max.	100 max.	APHA 23 <sup>rd</sup> Ed.,3500 Mg B
12	Total Dissolved Solids	mg/l	129.0	500 max.	2000 max.	APHA 23 <sup>rd</sup> Ed.,2540 C
13	Sulphate,(as SO <sub>4</sub> )	mg/l	2.64	200 max.	400 max.	APHA 23 <sup>rd</sup> Ed.,4500 SO <sub>4</sub> E
14	Fluoride,(as F)	mg/l	< 0.05	1.0 max.	1.5 max.	APHA 23 <sup>rd</sup> Ed.,4500
15	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	68.6	200 max.	600 max.	APHA 23 <sup>rd</sup> Ed.,2320 A
16	Chromium Total,(as Cr)	mg/l	<0.05	0.05 max.	No relaxation	IS-3025 (P- 52)
17	Hexa Chromium,(as Cr+6)	mg/l	<0.2	0.05 max.	No relaxation	APHA 23 <sup>rd</sup> Ed.,3500 Cr B
18	Nitrate,(as NO <sub>3</sub> )	mg/l	3.46	45 max.	No relaxation	IS-3025(P-34)
19	Zinc,(as Zn)	mg/l	< 0.1	5 max.	15 max.	IS-3025(P-49)
20	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	<0.001	0.001 max.	0.002 max.	IS-3025(P-43)
21	Copper,(as Cu)	mg/l	<0.05	0.05 max.	1.50 max.	IS-3025(P-42)
22	Manganese,(as Mn)	mg/l	<0.1	0.10 max.	0.30 max.	APHA 23 <sup>rd</sup> Ed.,3500 Mn B
23	Arsenic,(as As)	mg/l	N.D.	0.01 max.	0.05 max.	IS-3025(P-37)

Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report

4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

24	Aluminum, (as Al)	mg/l	N.D.	0.03 max.	0.20 max.	IS-3025(P-55)
25	Ammonia (as total ammonia-N)	mg/l	N.D.	0.5 max.	No relaxation	IS 3025 (P-34)
26	Lead,(as Pb)	mg/l	N.D.	0.01 max.	No relaxation	APHA 23 <sup>rd</sup> Ed.
27	Cadmium,(as Cd)	mg/l	N.D.	0.003 max.	No relaxation	IS-3025(P-41)
28	Selenium,(as Se)	mg/l	N.D.	0.01 max	No relaxation	IS-3025(P-56)
29	Boron, (as B)	mg/l	< 0.2	0.5 max	1.0 max	APHA 23 <sup>rd</sup> Ed.,4500 B C
30	Mercury, (as Hg)	mg/l	N.D.	0.001 max	No relaxation	IS-3025(P-48)
<b>Bacteriological Test Results</b>						
31	Coli form organisms /100 ml(MPN)	--	Absent	Shall not be detectable in any 100 ml sample		IS-15185:2016
32	E-Coli/ 100 ml	--	Absent	Shall not be detectable in any 100 ml sample		IS-15185:2016

Remarks- N.D- Not Detectable

Checked By

Authorized Signatory



- Note: 1. The result listed refer only to the tested samples and applicable parameters.  
2. Sample will be destroyed one month from the date of issue of test certificate.  
3. Any complaints about this report should be communicated within 7 days of issue of this report  
4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

## Test Report

<b>Report No.:</b> AEL/GSL/15092022/W/04	<b>Reporting Date:</b> 20/09/2022
Issued to: <b>M/s Globus spirits limited</b> <b>Plot No. B7, Panagarh Industrial Park</b> <b>Panagarh, Distt. Purba Badhaman</b> <b>West Bengal Pin-713148</b>	<b>Sample I'd</b> : AEL/GSL/150922/W/04 <b>Date</b> : 15.09.2022 <b>Period of testing</b> : 15.09.2022 to 20.09.2022

### SAMPLE PARTICULARS:

<b>Type of the Sample</b>	Ground Water Sample
<b>Date of Sample Receiving</b>	12.09.2022
<b>Location</b>	Village Khandari
<b>Sample Collected By</b>	Customer
<b>Purpose of Analysis</b>	Monitoring

### TEST RESULTS:

Sr. No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500)		Test Protocol
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1	Colour	Hazen	<5	5 max.	15 max.	APHA 23 <sup>rd</sup> Ed., 2120 B
2	Odour	--	Agreeable	Agreeable	Agreeable	IS-3025(P-5)
3	Taste	--	Agreeable	Agreeable	Agreeable	IS-3025(P-7)
4	Turbidity	NTU	<1	1 max.	5 max.	APHA 23 <sup>rd</sup> Ed., 2130 B
5	pH	--	7.06	6.5 - 8.5	No relaxation	APHA 23 <sup>rd</sup> Ed., 4500 H B
6	Total Hardness, (as CaCO <sub>3</sub> )	mg/l	60.2	200 max.	600 max.	APHA 23 <sup>rd</sup> Ed., 2340 C
7	Iron, (as Fe)	mg/l	<0.05	0.30 max.	No relaxation.	APHA 23 <sup>rd</sup> Ed., 3111
8	Chloride, (as Cl)	mg/l	15.6	250 max.	1000 max.	APHA 23 <sup>rd</sup> Ed., 4500 Cl B
9	Residual Free Chlorine	mg/l	N.D.	0.20 max.	1 max.	IS-3025(P-26)
10	Calcium Hardness, (as Ca)	mg/l	13.9	75 max.	200 max.	APHA 23 <sup>rd</sup> Ed., 3500 Ca A
11	Magnesium Hardness, (as Mg)	mg/l	6.11	30 max.	100 max.	APHA 23 <sup>rd</sup> Ed., 3500 Mg B
12	Total Dissolved Solids	mg/l	117.0	500 max.	2000 max.	APHA 23 <sup>rd</sup> Ed., 2540 C
13	Sulphate, (as SO <sub>4</sub> )	mg/l	2.80	200 max.	400 max.	APHA 23 <sup>rd</sup> Ed., 4500 SO <sub>4</sub> E
14	Fluoride, (as F)	mg/l	< 0.05	1.0 max.	1.5 max.	APHA 23 <sup>rd</sup> Ed., 4500
15	Total Alkalinity, (as CaCO <sub>3</sub> )	mg/l	59.4	200 max.	600 max.	APHA 23 <sup>rd</sup> Ed., 2320 A
16	Chromium Total, (as Cr)	mg/l	<0.05	0.05 max.	No relaxation	IS 3025 (P- 52)
17	Hexa Chromium, (as Cr+6)	mg/l	<0.2	0.05 max.	No relaxation	APHA 23 <sup>rd</sup> Ed., 3500 Cr B
18	Nitrate, (as NO <sub>3</sub> )	mg/l	2.95	45 max.	No relaxation	IS-3025(P-34)
19	Zinc, (as Zn)	mg/l	< 0.1	5 max.	15 max.	IS-3025(P-49)
20	Phenolic Compounds, (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	<0.001	0.001 max.	0.002 max.	IS-3025(P-43)
21	Copper, (as Cu)	mg/l	<0.05	0.05 max.	1.50 max.	IS-3025(P-42)
22	Manganese, (as Mn)	mg/l	<0.1	0.10 max.	0.30 max.	APHA 23 <sup>rd</sup> Ed., 3500 Mn B
23	Arsenic, (as As)	mg/l	N.D.	0.01 max.	0.05 max.	IS-3025(P-37)

Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report

4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.





# ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RILCO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

24	Aluminum, (as Al)	mg/l	N.D.	0.03 max.	0.20 max.	IS-3025(P-55)
25	Ammonia (as total ammonia-N)	mg/l	N.D.	0.5 max.	No relaxation	IS 3025 (P-34)
26	Lead,(as Pb)	mg/l	N.D.	0.01 max.	No relaxation	APHA 23 <sup>rd</sup> Ed.
27	Cadmium,(as Cd)	mg/l	N.D.	0.003 max.	No relaxation	IS-3025(P-41)
28	Selenium,(as Se)	mg/l	N.D.	0.01 max	No relaxation	IS-3025(P-56)
29	Boron, (as B)	mg/l	< 0.2	0.5 max	1.0 max	APHA 23 <sup>rd</sup> Ed.,4500 B C
30	Mercury, (as Hg)	mg/l	N.D.	0.001 max	No relaxation	IS-3025(P-48)
<b>Bacteriological Test Results</b>						
31	Coli form organisms /100 ml(MPN)	--	Absent	Shall not be detectable in any 100 ml sample		IS-15185:2016
32	E-Coli/ 100 ml	--	Absent	Shall not be detectable in any 100 ml sample		IS-15185:2016

Remarks- N.D- Not Detectable

Checked By

Authorized Signatory



- Note:**
1. The result listed refer only to the tested samples and applicable parameters.
  2. Sample will be destroyed one month from the date of issue of test certificate.
  3. Any complaints about this report should be communicated within 7 days of issue of this report
  4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.

# **ANNEXURE-VII**

# Coal storage yard



# **ANNEXURE-VII**



Fire safety Emergency Response Team

# **ANNEXURE-IX**



# **ANNEXURE-X**



## **GREENBELT & PLANTATION DEVELOPMENT PROGRAMME**

6.3 acres, i.e. ~33% of the plant area (18.81 acres) has already been covered under greenbelt & plantation. A greenbelt of tree plantation around the plant site will help to arrest the particulate matter in the area and hence attenuate the pollution to a great extent. The company will make greenbelt dense during and after expansion in order to prevent pollutants from going beyond plant boundary and a 5 m width greenbelt periphery will be developed.

### **Details of Existing Greenbelt**

Development of greenbelt as per Central Pollution Control Board (CPCB) guidelines. Native plant species have been/will be planted in consultation with local horticulturist. Approx. 3855 species have been planted within the plant premises. Existing trees planted as greenbelt is given in table below:

**Existing Greenbelt in the Plant Premises**

<b>S. No.</b>	<b>Scientific name</b>	<b>Common name</b>	<b>Saplings planted</b>
1.	<i>Dalbergia sissoo</i>	Shisham	250
2.	<i>Azadirachta indica</i>	Neem	345
3.	<i>Cassia siamea</i>	Kasood	400
4.	<i>Alstonia scholaris</i>	Saptparni	200
5.	<i>Delonix regia</i>	Gulmohar	280
6.	<i>Samanea saman</i>	Rain tree	145
7.	<i>Neolamarckia cadamba</i>	Kadamba	260
8.	<i>Terminalia arjuna</i>	Arjun tree	150
9.	<i>Syzygium cumini</i>	Jamun	235
10.	Cassia fistula	Amaltas	260
11.	<i>Peltophorum ferrugineum</i>	Yellow gulmohar	245
12.	<i>Saraca asoca</i>	Ashoka tree	550
13.	<i>Tabebuia rosea</i>	Basant rani	135
14.	<i>Aegle marmelos</i>	Bael	200
15.	<i>Ailanthus excelsa</i>	Tree of heaven	200
<b>Total saplings planted</b>			<b>3855</b>

### **Action plan for greenbelt development**

Existing greenbelt has been developed by planting 1500 trees/ ha. With the proposed expansion the company will make the greenbelt denser and will plant more trees to achieve 2500 trees/ ha. The width of plantation along the plant periphery will be 5 m.

Species to be planted – Neem (*Azadirachta indica*), Kasood (*Cassia siamea*), Saptarni (*Alstonia scholaris*), Gulmohar (*Delonix regia*), Rain tree (*Samanea saman*), Arjun tree (*Terminalia arjuna*), Cassia fistula (*Amaltas*), Yellow Gulmohar (*Peltophorum ferrugineum*), Bottle brush (*Callistemon sp.*), Kadamba (*Neolamarckia cadamba*), Semal/Kapok (*Bombax ceiba*), Jamun (*Syzygium cumini*), Morpankhi (*Thuja occidentalis*), Guhbabool (*Acacia farnesiana*), Kaner (*Nerium indicum*), Champa (*Plumeria rubra*), Holy basil (*Ocimum tenuiflorum*), Jarul (*Lagerstroemia speciosa*), Bougainvillea spectabilis, Lemon (*Citrus lemon*), Sankuppi (*Clerodendrum inerme*), Lawn Plantation and Shrubbery etc.

#### Schedule for Greenbelt & Plantation details

Planning schedule	Width of plantation (along the boundary of the plant)	No. of saplings to be planted	Funds to be allocated
1 <sup>st</sup> Year	5 m	1250	A budget of Rs. 20 Lakhs has been earmarked for greenbelt development and all miscellaneous activities concerned.
2 <sup>nd</sup> Year	5 m	1250	
<b>Total</b>		<b>2500</b>	









# **ANNEXURE-XI**

**Year wise Proposed cost of CSR for next five years.**

2022	INR 30 lac
2023	INR 40 lac
2024	INR 40 lac
2025	INR 40 lac
2026	INR 50 lac

# **ANNEXURE-XII**



# WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan'  
Bldg. No. - 10A, Block - LA, Sector-III  
Salt Lake City, Kolkata-700 098



[Renewal]

Consent Letter Number : C0123360

Memo Number : 611-7/WPBD-Cont(7116)/16.

Date : 30/07/2021.

## Consent to Operate

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and  
Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended and Rules and Orders made thereunder, hereby grants its consent to :

G.Polun WEST BENGAL  
Spirits Ltd.

(Address of Regd. office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at Pomagark Industrial Park

V.P.P. & P.O - Kotagram, P.S - Bud Bud  
Purbar Bardhaman - 713148

(Detailed address of the manufacturing unit)

for a period from 01/08/2021 to 31/07/2026

to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.



For and on behalf of the State Board

(Member Secretary/Chief Engr/ Sr. Env. Engr / Env. Engr / Asst. Env. Engr)

Durgapur Regional Office

# **ANNEXURE-XIII**



**File No. J-11011/337/2013-IA II(I)**  
Government of India  
Ministry of Environment, Forest & Climate Change  
Impact Assessment Division  
\*\*\*

Indira Paryavaran Bhawan,  
Jal Wing, 3<sup>rd</sup> Floor, Aliganj,  
Jor Bagh Road, New Delhi-110 003

Dated: 22<sup>nd</sup> March, 2021

To,

**M/s Globus Spirits Limited,**  
Plot no B7, Industrial Park, Panagarh, Tehsil Ausgram- II,  
District Purba Bardhaman, West Bengal

**Sub: Expansion of Grain based distillery from 120 to 240 KLPD & co-generation power plant from 3.5 MW to 8.0 MW within existing plant premises by M/s Globus Spirits Limited located at Plot no B7, Industrial Park, Panagarh, Tehsil Ausgram- II, District Purba Bardhaman, West Bengal - Consideration of Environment Clearance regarding.**

Sir,

This has reference to your online proposal No. IA/WB/IND2/196378/2014, dated 05<sup>th</sup> February, 2021 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for Expansion of Grain based distillery from 120 to 240 KLPD & co-generation power plant from 3.5 MW to 8.0 MW within existing plant premises by M/s Globus Spirits Limited located at Plot no B7, Industrial Park, Panagarh, Tehsil Ausgram- II, District Purba Bardhaman, West Bengal.

3. All Non-Molasses based distilleries >200 KLPD are listed at S.N. 5(g) of Schedule of Environment Impact Assessment (EIA) Notification dated 14.9.2006 and as amended on 13.6.2019 under category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC).

2. The Terms of References (ToRs) has been issued by Ministry vide letter No. J-11011/155/2017-IA II (I) dated 6<sup>th</sup> November, 2017. Public Hearing for the expansion project has been conducted by West Bengal Pollution Control Board on 12<sup>th</sup> November, 2020 for Purba Bardhaman District and chaired by the Additional District Magistrate, Purba Bardhaman. The main issues raised during public hearing were related to employment, odour problems, environmental impacts on air & water pollution, benefits to local people, development of nearby villages, plantation, transportation facilities, and medical facilities. There is no litigation pending against the proposal.

31-2

3. Ministry had issued EC earlier vide letter no. J-11011/ 337/2013-IA II (I) dated 15th May, 2015 to the existing project 120 KLPD Grain based distillery along with 3.5 MW co-generation power plant in favour of M/s Globus Spirits Limited.

4. The details of products and capacity are as under: -

Products	Existing Capacity	Additional Capacity	Total Capacity after expansion
Rectified Spirit / Extra Neutral Alcohol / Ethanol	120 KLPD	120 KLPD	240 KLPD
Power	3.5 MW	4.5 MW	8.0 MW
IMFL & CL Bottling Plant	5,12,000 Cases per month (IMFL 3,12,000 Cases per month + CL 2,00,000 Cases per month)	Nil	5,12,000 Cases per month (IMFL 3,12,000 Cases per month + CL 2,00,000 Cases per month)
By-product - CO2 and DDGS (100 TPD)			

5. Existing land area is 7.61 ha (18.81 acres). No additional land will be required as proposed expansion will be done within the existing plant premises. Industry has already developed greenbelt in an area of 33% i.e. 2.55 hectares (6.3 acres) out of total area of the project and the same will be maintained and made dense in future. The estimated project cost is Rs. 120 Crores for expansion project. Total capital cost earmarked towards environmental pollution control measures is Rs. 20 Crores and the Recurring cost (operation and maintenance) will be about Rs. 2.0 Crores per annum. No. of working days will be 350 days/annum. Total Employment during operation phase will be 446 persons (220 Regular and 226 contract) after expansion. Industry proposes to allocate Rs. 3.0 Crores @ 2.5% of total project cost towards Corporate Environment Responsibility (CER).

6. PP informed that there are no national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the plant site. Water bodies in 10 km radius study area are 3 rivers - Kukal Nadi (~4.0 km in SW direction), Damodar River (~7.5 km in SW direction) & Kunur Nadi (~9.5 km in North direction); 3 canals - Panagarh Branch Canal (~0.2 km in North direction), Left Bank Main Canal (~5.5 km in WSW direction), Damodar Main Canal (~7.5 km in SSW direction); and 2 seasonal nalas - Kanakhori Khari, Kukua Khal. There are some Protected Forests (PF) viz., Khandari PF, Baradoba PF, Bilaspur PF, Radhaballabpur PF, Premganj PF, Amarargarh PF, Kuldiha PF, Lakshminarayanpur PF, Pratappur PF, Durgapur PF, Babuisol PF, Dombandhi PF, Ramharipur PF, Suta PF, & Bhalki PF within 10 km radius of project site.

7. Ambient air quality monitoring was carried out at 8 locations during Summer Season (March to May, 2018) and the baseline data indicates the ranges of concentrations as: PM<sub>10</sub> (61.8 to 92.7 µg/m<sup>3</sup>), PM<sub>2.5</sub> (28.3 to 50.3 µg/m<sup>3</sup>), SO<sub>2</sub> (5.7 to 17.4 µg/m<sup>3</sup>) & NO<sub>2</sub> (12.8 to 29.3 µg/m<sup>3</sup>). AAQ modelling study for point source emissions indicates that the maximum incremental GLCs after the expansion

*Sum*

project would be 0.384 µg/m<sup>3</sup>, 0.24 µg/m<sup>3</sup>, 2.01 µg/m<sup>3</sup>, 3.11 µg/m<sup>3</sup> with respect to PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub>. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).

8. After expansion, total water requirement is 3460 m<sup>3</sup>/day of which fresh water requirement of 890 m<sup>3</sup>/day (520 m<sup>3</sup>/day Distillery process @2.17 KL/KL + 200 m<sup>3</sup>/day Co-Generation Power Plant + 120 m<sup>3</sup>/day Bottling Plant + 50 m<sup>3</sup>/day Domestic & others) will be met from Ground water. After expansion, effluent of 748 m<sup>3</sup>/day quantity will be treated through Effluent Treatment Plant (Based on Anaerobic, aerobic & filtration system) of capacity 1200 m<sup>3</sup>/day. The plant is being/will be based on Zero Liquid discharge system.

9. Total Power requirement after expansion will be 7.0 MW including existing power requirement of 3.0 MW and will be met from 8.0 MW co-generation power plant. Existing unit has 1 DG sets of capacity 1250 kVA, additionally 2 DG sets of capacity 750 kVA & 1250 kVA will be installed and used as standby during power failure. Stack (height 8 m) will be provided as per CPCB norms to the proposed DG set. Existing unit has 35 TPH Coal/rice husk fired boiler. Additionally, 40 TPH Coal/rice husk fired boiler will be installed. ESP with a stack height of 60 m will be installed for controlling the particulate emissions within the statutory limit for the proposed boiler.

#### 10. Details of Process emissions generation and its management:

Source	Emissions	Management
Boiler	Particulate matter, SO <sub>2</sub> , NO <sub>x</sub>	<ul style="list-style-type: none"> <li>• ESP as air pollution control equipment for existing &amp; proposed boilers.</li> <li>• Adequate stack height (60 m) is being /will be provided.</li> <li>• Necessary temperature profile is being/will be maintained.</li> </ul>
Fermentation	Carbon dioxide	Carbon dioxide generated is being/ will be collected by utilizing CO <sub>2</sub> scrubbers and sold to authorized vendors.

#### 11. Details of Solid waste/Hazardous waste generation and its management:

- Solid waste from the Grain based operations generally comprises of fibres and proteins in the form of DDGS (100 TPD), which are being / will be ideally used as cattle feed. Yeast sludge is being / will be added to the wet cake.
- Ash (120 TPD) from the boiler is being / will be supplied to Cement/brick manufacturers.
- Used oil & grease generated from plant machinery/gear boxes as hazardous waste are being / will be sold out to the CPCB authorized recyclers.

12. Certified EC compliance report has been obtained by RO, MOEFCC, Bhubaneswar vide letter no. 102-534/EPE/103 dated 19.01.2021 and date of site

*3/2/21*

visit was 27.11.2020.

**13.** The proposal was considered by the EAC in its 30<sup>th</sup> meeting held on 17<sup>th</sup> February, 2021 in the Ministry, wherein the project proponent and their consultant M/s. J.M. EnviroNet Pvt. Ltd., presented the EIA/EMP report as per the ToR. The Committee found the EIA/EMP report complying with the ToR and recommended the project for grant of environmental clearance.

**14.** The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with EIA/EMP report prepared and submitted by the Consultant accredited by the QCI/NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the EIA/EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

**15.** The Committee noted that the EIA/EMP report is in compliance of the ToR issued for the project, reflecting the present environmental concerns and the projected scenario for all the environmental components. The Committee has found the baseline data is within NAAQ standards. The Committee has deliberated the action plan proposed by the project proponent to arrest the incremental GLC due to the project. The Committee has also deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

**16.** The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

**17.** Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Expansion of Grain based distillery from 120 to 240 KLPD & co-generation power plant from 3.5 MW to 8.0 MW within existing plant premises by M/s Globus Spirits Limited located at Plot no B7, Industrial Park, Panagarh,**

*8/2*

**Tehsil Ausgram- II, District Purba Bardhaman, West Bengal**, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

**A. Specific Condition:**

- (i). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (ii). The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.
- (iii). Total fresh water requirement for the proposed project will be 890 m<sup>3</sup>/day (520 m<sup>3</sup>/day Distillery process @2.17 KL/KL + 200 m<sup>3</sup>/day Co-generation Power Plant + 120 m<sup>3</sup>/day Bottling Plant + 50 m<sup>3</sup>/day Domestic & others) which will be met from Ground water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.
- (iv). The spent wash shall be dried to obtain DDGS to be used as cattle feed. Ash/manure shall be packed in 25 kg bags and transported via covered trolleys.
- (v). CO<sub>2</sub> generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.
- (vi). Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (vii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (viii). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- (ix). Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.

37-2

- (x). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (xi). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- (xii). As per the Ministry's OM dated 30.09.2020 superseding the OM dated 01.05.2018 regarding the Corporate Environmental Responsibility, and as per the action plan proposed by the project proponent to address the socio-economic and environmental issues in the study area, the project proponent, as committed, shall provide education funds in technical training centers/ support in nearby village's schools, support in health care facilities, drinking water supply and funds for miscellaneous activities like solar street lights, battery, solar panel etc., in the nearby villages. The action plan shall be completed within time as proposed.
- (xiii). There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.
- (xiv). Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- (xv). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (xvi). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

**B. General Condition:**

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the

8742



project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental

87-4

clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.

- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

**18.** The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

**19.** Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

**20.** Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**21.** The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

**22.** This issues with the approval of the competent authority.

  
**(Ashok Kr. Pateshwary)**  
**Director**

**Copy to: -**

1. The Principal Secretary, Department of Environment & Forest, 5<sup>th</sup> Floor, Pranisampad Bhawan, Block LB-II, Salt Lake, Sector III, Bidhannagar, Kolkata - 700 106
2. The Addl. Principal Chief Conservator of Forests (C), Ministry of Env., Forest and Climate Change, Regional Office (EZ), A/3, Chandersekharpur, Bhubaneswar-751023
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
4. The Member Secretary, West Bengal Pollution Control Board, Paribesh Bhawan 10A, Block-LA, Sector-III Bidhannagar, Kolkata-700 106
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, New Delhi
6. District Collector, Purba Bardhaman, West Bengal
7. Guard File/Monitoring File/ Parivesh Portal /Record File

*81-4/03/2021*

**(Ashok Kr. Pateshwary)**  
**Director**

**E-mail: [ak.pateshwary@gov.in](mailto:ak.pateshwary@gov.in)**  
**Tel. No. 24695290**

# **ANNEXURE-XIV**

# CSR Activity Details :

## **Globus Spirits Limited**

### **Panagarh West bengal**

1. Solar Street Lighting: 30 nos Solar Street Light have been installed in the Maro & Natungram Village, further Proposal taken for installation of another 30 Nos Solar Street Light within November 2022
2. Drinking Water Station (Submersible pump, Tank & Pipelines): Installed in the Natungram Primary School.
3. Drinking Water Station (Submersible pump, Tank & Pipelines): Installed in the School of Maro village.
4. Beautification of Children Park with necessary Playing rides in Mankar Village.
5. Road repairing of nearby villages.
6. Drinking water supplied nearby villages during summer season through Water Tankers.
7. Tanning Organized for more than 100 students of Mankar Colleges for appearing in various competitive exams for Govt. Services. (PSC, SSC, Rail, Bank etc. )
8. Temple developed in the village of Maro.

Few snaps of the CSR activities is attached under:







Tra

ctor  
ctor  
jal

माडल नृत्यशास्त्र शास्त्रिक विद्याया  
इतिहास - उद्भव - २०१०

d

E  
pe





# **ANNEXURE-XV**



To,  
The Environmental Engineer  
Durgapur Regional Office  
West Bengal Pollution Control Board  
City Center, Durgapur  
Paschim Bardhaman, West Bengal

Date: 30.09.2022

**Sub: Environmental Statement (Form V)**

Sir,

In reference of the above, the filled up format of the Environmental Statement (Form V) for Globus Spirits Limited, Plot No. B7, Panagarh Industrial Park, Panagarh, Dist. Purba Badhaman, West Bengal, Pin-713148 for the Financial Year 2021-22 is enclosed herewith.

Please acknowledge the same

Thanking You,  
Yours faithfully,

For, Globus Spirits Limited.

**GLOBUS SPIRITS LIMITED**

  
Authorised Signatory  
Authorized Signatory

Encl: As above.

**Globus Spirits Limited**

(Corporate Identity Number: L74899DL1993PLC052177)

**Registered & Corporate Office:**

F-0, Ground Floor, The Mira Corporate Suites, Plot No. 1 & 2, Ishwar Nagar, Mathura Road, New Delhi 110065 Tel.: +011-66424400

Works(1): Village: Shyampur, Tehsil: Behror 301701 Distt.: Alwar (Rajasthan) Tel.: +91-08003592097

Works(2): Haryana Organics (A Unit of Globus Spirits Limited) 4 KM., Chulkana Road, Samalkha 132101 Distt.: Panipat (Haryana) Telefax: +91-180-2570122

Works(3): Associated Distilleries (A Unit of Globus Spirits Limited) Hisar Bye-Pass, National Highway, Hisar 125044 (Haryana) Tel.: +91-09896398187

Works(4): Village: Dhandua, Tehsil: Jandaha, Hajipur 844505 Distt.: Vaishali (Bihar) Tel.: +91-9917437425

Works(5): Plot No. B-7, Panagarh Industrial Park, Panagarh 713420 Distt.: Burdwan (West Bengal) Tel.: +91-9800297777

Works(6): Village : Olda, Block Baharagora, Tehsil: Ghatshila, Post: Borsol, Distt: East Singhbhum, Jharkhand Mob.: +91-9708112376

E-Mail: [corpoffice@globusgroup.in](mailto:corpoffice@globusgroup.in) Web: [www.globusspirits.com](http://www.globusspirits.com)



**ENVIRONMENTAL STATEMENT  
[FORM V]**

(See rule 14)

**Environmental Statement for the financial year ending the 31<sup>st</sup> March 2022**

**PART A**

(i) Name and address of the owner/occupier of the industry operation or process.

**M/s Globus Spirits Limited,  
Plot No. B7, Panagarh Industrial Park,  
Panagarh, Dist. Purba Badhaman,  
West Bengal, Pin-713148**

(ii) Industry category Primary: **RED**

(iii) Handling capacity: **120 KLPD (Expansion to 240 KLPD)**

(iv) Year of establishment: **2017 and Expansion from 120 KLPD to 240 KLPD 2022**

(v) Date of the last environmental statement submitted: **30<sup>th</sup> Sept, 2021**

**PART B**

(i) **Water and River Material Consumption (1)**

Water consumption m<sup>3</sup>/d:

Process (Industrial Purpose): 70 m<sup>3</sup>/d  
Cooling 190 m<sup>3</sup>/d  
Domestic: 30 m<sup>3</sup>/d

Name of Products	Process water consumption per unit of product output	
	During the previous financial Year	During the Current financial Year
	(1)	(2)
I. Industrial Alcohol-RS & ENA	4.25 KLPD	4.25 KLPD
II. DDGS	--	--
III. CO <sub>2</sub> (Gas)	--	--

**GLOBUS SPIRITS LIMITED**

**Authorised Signatory**

**Globus Spirits Limited**

(Corporate Identity Number: L74899DL1993PLC052177)

Registered & Corporate Office:

F-0, Ground Floor, The Mira Corporate Suites, Plot No. 1 & 2, Ishwar Nagar, Mathura Road, New Delhi 110065 Tel.: +011-66424400

Works(1): Village: Shyampur, Tehsil: Behror 301701 Dist.: Alwar (Rajasthan) Tel.: +91-08003592097

Works(2): Haryana Organics (A Unit of Globus Spirits Limited) 4 KM., Chulkana Road, Samalkha 132101 Dist.: Panipat (Haryana) Telefax: +91-180-2570122

Works(3): Associated Distilleries (A Unit of Globus Spirits Limited) Hisar Bye-Pass, National Highway, Hisar 125044 (Haryana) Tel.: +91-09896398187

Works(4): Village: Dhandua, Tehsil: Jandaha, Hajipur 844505 Dist.: Vaishali (Bihar) Tel.: +91-9917437425

Works(5): Plot No. B-7, Panagarh Industrial Park, Panagarh 713420 Dist.: Burdwan (West Bengal) Tel.: +91-9800297777

Works(6): Village : Olda, Block Baharagora, Tehsil: Ghatshila, Post: Borsol, Distt: East Singhbhum, Jharkhand Mob.: +91-9708112376

E-Mail: coroffice@globusgroup.in Web: www.globusspirits.com



ii) Raw Material Consumption

*Name of raw materials	Name of products	Consumption of raw material per Unit of output	
		During the previous financial year	During the current financial year
Grain - Broken Rice, Sorghum, Bajra, Maize etc.	Industrial Alcohol-RS & ENA	Grains Containing 62 % W/W Starch – 250 MT/Day	Grains Containing 62 % W/W Starch – 250 MT/Day
Sodium Hydroxide	DDGS		
Liquefying Enzyme	CO <sub>2</sub> (Gas)		
Saccharifying Enzyme			
Antifoam Agent			
Yeast (Active Dry Yeast/Distiller's Yeast)			
Dilution Water Make Up: DM water			

\*Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

PART – C

Pollution discharged to environment / unit of output:  
(Parameter as specified in the consent issued)

-NA-

1) Pollutants	Quantity of pollutants discharged (mass/day)	Concentrations of pollutants in discharges (mass/volume)	Percentage of variation from prescribed standards with reasons
a) Water	-NA- (Zero Water Discharged)	-NA-	-NA-
b) Air	-NA-	-NA-	-NA-

GLOBUS SPIRITS LIMITED

Authorised Signatory

Globus Spirits Limited

(Corporate Identity Number: L74899DL1993PLC052177)

Registered & Corporate Office:

F-0, Ground Floor, The Mira Corporate Suites, Plot No. 1 & 2, Ishwar Nagar, Mathura Road, New Delhi 110065 Tel.: +011-66424400

Works(1): Village: Shyampur, Tehsil: Behror 301701 Distt.: Alwar (Rajasthan) Tel.: +91-08003592097

Works(2): Haryana Organics (A Unit of Globus Spirits Limited) 4 KM., Chulkana Road, Samalkha 132101 Distt.: Panipat (Haryana) Telefax: +91-180-2570122

Works(3): Associated Distilleries (A Unit of Globus Spirits Limited) Hisar Bye-Pass, National Highway, Hisar 125044 (Haryana) Tel.: +91-09896398187

Works(4): Village: Dhandua, Tehsil: Jandaha, Hajipur 844505 Distt.: Vaishali (Bihar) Tel.: +91-9917437425

Works(5): Plot No. B-7, Panagarh Industrial Park, Panagarh 713420 Distt.: Burdwan (West Bengal) Tel.: +91-9800297777

Works(6): Village : Olda, Block Baharagora, Tehsil: Ghatshila, Post: Borsol, Distt: East Singhbhum, Jharkhand Mob.: +91-9708112376

E-Mail: coroffice@globusgroup.in Web: www.globusspirits.com

**PART . D**

**Hazardous Wastes**

(as specified under Hazardous Waste Management and Handling Rules, 1989)

Hazardous Waste	Total Quantity (Kg.)	
	During the previous Financial Year	During the current Financial Year
a) From process	—	—
b) From pollution control facilities	—	—

**PART . E**

**Solid Wastes**

	Total Quantity	
	During the previous financial year	During the current financial year
(a) From process	No solid waste generated from process	
(b) Form pollution control facility	Only 2.5 kg sludge from CPU sludge drying bed is being used as manure in in-house plantation	
(c) (1) Quantity recycled or re-utilized within the unit	Only 2.5 kg sludge from CPU sludge drying bed is being used as manure in in-house plantation	
(2) Solid	50 MT per day as Fly ash	
(3) Disposed	Nothing is being disposed inside premises.	

**PART . F**

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

- I. sludge from CPU sludge drying bed is being used as manure in in-house plantation
- II. Solid waste ash is used as recycled by brick manufacture

**GLOBUS SPIRITS LIMITED**

Authorised Signatory

**Globus Spirits Limited**

(Corporate Identity Number: L74899DL1993PLC052177)

Registered & Corporate Office:

F-0, Ground Floor, The Mira Corporate Suites, Plot No. 1 & 2, Ishwar Nagar, Mathura Road, New Delhi 110065 Tel.: +011-66424400

Works(1): Village: Shyampur, Tehsil: Behror 301701 Distt.: Alwar (Rajasthan) Tel.: +91-08003592097

Works(2): Haryana Organics (A Unit of Globus Spirits Limited) 4 KM., Chulkana Road, Samalkha 132101 Distt.: Panipat (Haryana) Telefax: +91-180-2570122

Works(3): Associated Distilleries (A Unit of Globus Spirits Limited) Hisar Bye-Pass, National Highway, Hisar 125044 (Haryana) Tel.: +91-09896398187

Works(4): Village: Dhandua, Tehsil: Jandaha, Hajipur 844505 Distt.: Vaishali (Bihar) Tel.: +91-9917437425

Works(5): Plot No. B-7, Panagarh Industrial Park, Panagarh 713420 Distt.: Burdwan (West Bengal) Tel.: +91-9800297777

Works(6): Village : Olda, Block Baharagora, Tehsil: Ghatshila, Post: Borsol, Distt: East Singhbhum, Jharkhand Mob.: +91-9708112376

E-Mail: corpoffice@globusgroup.in Web: www.globusspirits.com

**PART . G**

**Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.**

- a) The main raw material and product are buy and dispatched by road in covered enclosures.
- b) The vehicle owners must have used as valid PUC Certificate
- c) The vehicles are not overloaded during transportation.
- d) Dust suppression on haul roads is being done at regular intervals.
- e) Proper pollution control equipment, ESP was installed.
- f) Online stack monitoring was installed.
- g) ETP monitored by online monitoring system
- h) Boiler ash are transferred in closed conveyors to the end users to avoid any spillage
- i) Green belt plantation
- j) Rain water harvesting for reduction use of fresh water

**PART . H**

**Additional measures / investment proposal for environmental protection including abatement of pollution, prevention of pollution.**

The following works are being conducted by Globus Sprit for environmental protection and prevention of pollution within industry premises as well as office areas:

- a) The industry adopt the most advance technology for mitigation the all type of pollutant like ESP, Six stage evaporation system & state of art drying system & the latest UASB recator.
- b) Environmental monitoring is being done by the MoEF & CC / NABL accredited laboratory of the following parameters:
  - i. Ambient Air Quality Monitoring
  - ii. Noise Quality Monitoring
  - iii. Ground Water Analysis

The environmental monitoring report is being submitted to the Regional Office, Kolkata of MoEF & CC with the half-yearly compliance report.

**PART . I**

**Any other particulars for improving the quality of the environment.**

- I. Green belt planning in and around the factory premises
- II. Sapling distributed in the local village areas
- III. Regular Water sprinkling in the main road and in and around the factory premises for controlling the fugitive emission.

**Globus Spirits Limited**

(Corporate Identity Number: L74899DL1993PLC052177)

**Registered & Corporate Office:**

F-0, Ground Floor, The Mira Corporate Suites, Plot No. 1 & 2, Ishwar Nagar, Mathura Road, New Delhi 110065 Tel.: +011-66424400

**Works(1):** Village: Shyampur, Tehsil: Behror 301701 Distt.: Alwar (Rajasthan) Tel.: +91-08003592099 **Authorised Signatory**

**Works(2):** Haryana Organics (A Unit of Globus Spirits Limited) 4 KM., Chulkana Road, Samalkha 132101 Distt.: Panipat (Haryana) Telefax: +91-180-2570122

**Works(3):** Associated Distilleries (A Unit of Globus Spirits Limited) Hisar Bye-Pass, National Highway, Hisar 125044 (Haryana) Tel.: +91-09896398187

**Works(4):** Village: Dhandua, Tehsil: Jandaha, Hajipur 844505 Distt.: Vaishali (Bihar) Tel.: +91-9917437425

**Works(5):** Plot No. B-7, Panagarh Industrial Park, Panagarh 713420 Distt.: Burdwan (West Bengal) Tel.: +91-9800297777

**Works(6):** Village : Olda, Block Baharagora, Tehsil: Ghatshila, Post: Borsol, Distt: East Singhbhum, Jharkhand Mob.: +91-9708112376

**GLOBUS SPIRITS LIMITED**

# **ANNEXURE-XVI**



# FIRE CONTROL SERVICES

AN ISO 9001:2015 CERTIFIED COMPANY



License No. : 0917P575522151527

Office: D/14 Maxmullar Path, City Centre,  
Durgapur-713216, Paschim Bardhaman.

M: 9932466820, 0343-2543045

E-mail: firecontrolservicesdgp@gmail.com

All Types of fire extinguisher, Fire Article Refilling Servicing & Maintenance

## TRAINED CERTIFICATE

Date: 8th, SEP'2022

REF.No: FCS/TC/GSL/312/22-2023

To,

The Manager Instrumentation  
Globus Spirits Limited  
Panagarh Industrial Park, Kota  
Panagarh, Paschim Bardhaman.

Kind Attention: Mr. Sachin Dwivedi

## **DEMONSTRATION CERTIFICATE**

THIS IS TO CERTIFY THAT FIRE EXTINGUISHER AND FIRE SPRINKLER OPERATING WITH TESTING DEMONSTRATION TRAINING HAS DONE BY OUR OPERATING EXPERTISE. AND **GLOBUS SPIRITS LTD**'S ALL STAFF HAS TRAINED SUCCESSFULLY. STAFF ARE ATTEND GIVEN BELOW-

1. SUBRATA GHOSH 2. YASDAM MOLLICK 3. BINOD GHOSH
4. ANIMESH MONDAL 5. MITHUN HANSDA 6. PUSPENDU BAURI
7. ARGHA GHOSH.

THANKING YOU,

YOURS FAITHFULLY,  
RIAJUL MONDAL  
(SERVICE MANGER)  
FIRE CONTROL SERVICES.  
DURGAPUR ZONE.





# **ANNEXURE-XVII**

entregistrationform

class 10 & 12  
students & institutions.  
smart tablets.

Phone: 033 71015060  
10 am - 5:00 pm)

Sanmarg Hindi

MIT WORLD PEACE  
UNIVERSITY

BRONZE



Pushpa  
Sangamita  
Foundation

SUPPORTED BY

Aircam  
TRAVEL

OUTDOOR

T & C Apply

वेबसाइट: [www.mpe.gov.in](http://www.mpe.gov.in)

3	11215195	Coil Loop Making Machine	01 No.	15.08.2021
4	22211431A	Heap and Staple 90mm	1156 Nos.	09.08.2021
5	02212730	120-Sq.mm E-Beam Cable	20260 Mtrs	24.08.2021*
6	22212302	Fire Extinguishing system 22.5 KG	68 Sets	25.08.2021***
7	01212440	Helical spring for High Power	1853 Nos.	02.09.2021**
8	21211763	C-Panel Kit	78 Sets	25.08.2021***
9	22212276	Leather Bellow	76 Sets	27.08.2021***
10	01212570	Body Shell Assembly Complete	116 Sets	13.08.2021
11	21211794	Two Types of Single Core Cable	28197 Mtrs	01.09.2021*
12	01212466	Twin Tower Heaters regenerative Type Air Dryer	105 Sets	12.09.2021*
13	21211967	Composite Panel-A and D	164 Sets	31.08.2021***
14	02212164	19 Core X 2.5 Sq. MM E-BEAM Cable	32611 Mtrs	27.08.2021*
15	22212086	Interlock Assly	70 Sets	18.08.2021***
16	01212439	85 Teeth Gear Wheel	121 Nos.	30.09.2021***

**B) e- Reverse Auction Notice No. 03 e-RA/2021-22**

SN	Tender No.	Description	Qty	Tender closing date
1	01212419	Rogie Frame Arrangement	199 Nos	10.08.2021**

Tender closing Time (A&B) 15:00 Hrs.

Item marked with \* is reserved for procurement from RDSO approved Firms, Item marked with \*\* is reserved for procurement from ICF approved Firms, Item marked with \*\*\* is reserved for procurement from CLW approved Firms.

The prospective tenderers are advised to visit the website <http://www.ireps.gov.in> or <http://www.dmw.indianrailways.gov.in> for detailed description of items & other terms and conditions of tender document. Please note that tenders can submit their quotations only through <http://www.ireps.gov.in>.

**Corrigendum to Tender Notice No. 02 e-RA/2021-22**

Closing date of Tender No. 21210002 may be read as 20.08.2021. Online Pre-bid meeting will be held on 04.08.2021 at 11.30 Hrs.

**Corrigendum to E-Tender Notice No. 12ET/2021-22**

- 1) Closing date of Tender No. 01212457 may be read as 17.08.2021
- 2) Closing date of Tender No. 01212487 may be read as 25.08.2021
- 3) Closing date of Tender No. 01212310 may be read as 18.08.2021
- 4) Closing date of Tender No. 02213002 published at SN.10 may be read as 29.07.2021 instead of 19.07.2021

1673/2021

**SERVING CUSTOMERS WITH A SMILE**

Money to be deposited (Rs. 20,00,000), Date & Time of closing E-tender, Date & Time of Opening E-tender (16.08.2021) 12.00.00 hrs., 16.08.2021 at 11.30 hrs., The details of above E-tender are available on Website [www.ireps.gov.in](http://www.ireps.gov.in) 11.08.2021

www.ireps.gov.in

This is to Inform all Concerned Department related to Public hearing held on 12 Nov 2020, that the MOEF is granted EC in favour of Globus Spirits Ltd. For Expansion of Grain based distillery from 120 KLPD to 240 KLPD at Plot No.-B-7, Panagarh Industrial Park, Panagarh, Purba Bardwan, West Bengal, Pin- 713148. Copies of EC are available with the SPCB/Committee and website of Ministry and at <https://parivesh.nic.in>

মাকশিট বিতরণ করেছি। লাইনে নির্দিষ্ট দূরত্ববিধি পালন করা হয়েছে।' জেলা বিদ্যালয় পরিদর্শক শ্রীধর প্রামাণিক বলেন, 'সরকারি নির্দেশে উল্লেখ ছিল কোভিড বিধি পালন করেই দিতে হবে মার্শিট। এটা সব স্কুলে পাঠানো হয়েছিল। টাউন স্কুলে কেন এমন হল তা নিয়ে খোঁজ নিচ্ছি।'

## হেফাজতে দুই

এই সময়, কাটোয়া: কেতুপ্রামের সূজাপুরে বিস্ফোরণের ঘটনায় ধৃত বাড়ির মালিক দম্পত্যিকৈ শুক্রবার আদালতে পেশ করল পুলিশ। সাক্ষীগোপাল ঘোষকে পুলিশ হেফাজতে চেয়ে আবেদন জানান তদন্তকারী অফিসার। বিচারক পাঁচ দিনের হেফাজত মঞ্জুর করেন। অন্যদিকে তাঁর স্ত্রী মিনতি ঘোষকে জেল হেফাজতের নির্দেশ দেওয়া হয়েছে।

ঘটনার তদন্তভার হাতে নিয়েছে সিআইডি। শুক্রবার কলকাতার ভবানীভবন থেকে একটি দল সেই ঘটনার তদন্তে আসে। কথা বলে মৃত মহম্মদ আরমান খানের পরিবারের সঙ্গে। চুরির ঘটনায় জড়িত সন্দেহে বাড়ি থেকে জিজ্ঞাসাবাদের জন্য তুলে নিয়ে যাওয়া মহম্মদ আরমানের মৃত্যু ঘিরে উত্তাল হয়েছিল কুলটির বরাকর। গত ছয় অগস্ট থেকে পরপর তিন দিন অগ্নিগর্ভ পরিস্থিতি তৈরি হয় ওই এলাকায়। প্রাথমিক তদন্তে পুলিশ সাসপেন্ড করে বরাকর ফাঁড়ির ওসি ও কুলটি থানার এক সাব-ইনস্পেক্টরকে। সব মিলিয়ে কুলটি থানা ও বরাকর ফাঁড়ির পাঁচ পুলিশ অফিসারকে সাসপেন্ড করা হয়। কাজ থেকে সরিয়ে দেওয়া হয় পাঁচ সিভিক ভলান্টিয়ারকে। বনিমুহ্যর সেই ঘটনার তদন্তভার শেষ পর্যন্ত যায়

অভিযোগ উঠেছিল। ওই ঘটনায় একই সঙ্গে পুলিশ হেফাজতে গুরুতর জখম হন সনোজ শ্রীবাস্তব। এই ঘটনাতো অভিযোগের আঙুল ওঠে পুলিশের বিরুদ্ধে। এদিন এই দুই বাড়িতে তদন্ত করতে আসেন সিআইডির একটি দল। তারা দুই পরিবারের সদস্যদের সঙ্গে কথা বলেন। সেদিন ঠিক কী ঘটেছিল তা নিয়ে বিস্তারিত ভাবে দুই পরিবারের সদস্যদের কাছ থেকে জানতে চান গোয়েন্দারা। তবে তদন্ত প্রসঙ্গে কোনও মন্তব্য করতে চাননি সিআইডি অফিসারেরা। প্রসঙ্গত, বরাকর ফাঁড়ি এলাকায় জুন মাসে বেশ কিছু চুরির ঘটনা ঘটে। তার মধ্যে এক দিনে বিসিসিএলের ১০টি আবাসনে চুরি হয়। সেই চুরির ঘটনায় জড়িত সন্দেহে পাঁচ জুলাই সোমবার রাতে বাড়ি থেকে আরমানকে তুলে আনে বরাকর ফাঁড়ির পুলিশ। রাতে তাকে

সকালে আনা হয়। পরের দিন ছয় জুলাই মঙ্গলবার সকালে কুলটি থানার লক-আপ থেকে অচৈতন্য অবস্থায় আরমানকে আসানসোল জেলা হাসপাতালে আনা হলে চিকিৎসক মৃত বলে ঘোষণা করেন। সেদিন সকালে একই সঙ্গে কুলটি থানার হেফাজতে থাকা সনোজ শ্রীবাস্তবকেও জখম অবস্থায় আসানসোল জেলা হাসপাতালে ভর্তি করানো হয়। পরে জানা যায়, শুধু আরমান নয়, চুরির ঘটনায় জেরা করার জন্য বরাকর ফাঁড়ির পুলিশ সনোজ শ্রীবাস্তব সমেত আরও কয়েকজনকে বাড়ি থেকে তুলে এনেছিল। দুই যুবকের পরিবারের অভিযোগ, লক-আপে পুলিশ অভিযুক্তদের উপর অত্যাচার চালিয়েছে। এর পরই অগ্নিগর্ভ হয়ে উঠে বরাকর। পরিস্থিতি সামাল দিতে পুলিশ কমিশনার অজয় ঠাকুরকে এলাকায় ছুটে আসতে হয়।

## TIMES inter act

- নিয়োগ
- নিয়োগ-সিচ্যুরেশন ড্যাকট
- প্রশাসন
- ম্যানেজার
- দরপত্র ও নোটিশ
- সাধারণ বিজ্ঞপ্তি

SENIOR Executives required for a Corporate with best pay out and others benefits. Also hiring Senior people. Urgently contact: 8240855316.

### ব্যক্তিগত

### নাম পরিবর্তন

I, Balshakhi Ganguly, R/o.- 2/1, Akbar Road, A-Zone, Durgapur-5, Dist- Paschim Bardhaman, W.B., Do hereby solemnly affirm and declare that I was known by the name & surname as Balshakhi Ganguly, which is recorded in my Pan Card, Bank Passbook, LPG connection, Ration Card, Aadhaar Card, Voter Card that I married to Mr. Priya Ranjan Goswami the name as Balshakhi Goswami & Balshakhi Ganguly is the same and identical lady being myself that the statements made above are true of my knowledge and belief. I sign this affidavit on this the 22nd July 2021 are Judicial Magistrate, Durgapur Court.

This is to Inform all Concerned Department related at Public hearing held on 12 Nov 2020, that the MOEF is granted EC in favour of Globus Spirits Ltd. For Expansion of Grain based distillery from 120KLPD to 240 KLPD at Plot No.-B-7, Panagarh Industrial Park, Panagarh, Purba Burdwan, West Bengal, Pin- 713148. Copies of EC are available with the SPCB/Committee and website of Ministry and at <https://parivesh.nic.in>

এই পত্রিকায় প্রকাশিত কোনো বিজ্ঞাপন দেখে টাকা পাঠানোর আগে বা কোনো খরচ করার আগে এমন কী চিকিৎসা সংক্রান্ত বিষয়ে কোনো সুপারিশ গ্রহণ করার আগে ভালোভাবে খোঁজ খবর করে নেবেন, বা যথাযথ পরামর্শ নেবেন।  
ন্যা টাইমস গ্রুপ কোনো প্রোভোজ বা পরিষেবার বিষয়ে বিজ্ঞাপনদাতাদের দেওয়া প্রতিশ্রুতির জামিনদার নয়।  
বিজ্ঞাপনদাতারা কোনো প্রতিশ্রুতি পালনে ব্যর্থ হলে তার জন্য প্রকাশক, মুদ্রক, সম্পাদক এবং ন্যা টাইমস গ্রুপ ইন্ডিয়া গ্রুপের মালিকপক্ষকে কোনোভাবেই দায়ী করা যাবে না।

## এবার শিশু পাচার তদন্তে ভবানীভবনের গোয়েন্দারা

এই সময়, বাঁকুড়া: শিশু বিক্রি ও পাচার কাণ্ডের তদন্তভার হাতে নিল সিআইডি। শুক্রবারই তাদের হাতে তদন্তভার তুলে দিয়েছে বাঁকুড়া জেলা পুলিশ। এদিন দুপুরে সিআইডি-র অ্যাক্টি হিউম্যান ট্র্যাফিকিং ইউনিট-এর দুই মহিলা সমেত মোট পাঁচ সদস্যের একটি প্রতিনিধি দল এসে পৌঁছন বাঁকুড়া সদর থানায়। কথা বলেন তদন্তকারী পুলিশ অফিসারদের সঙ্গে। ঘটনায় গ্রেপ্তারের পর পুলিশ হেফাজতে থাকা কেন্দ্রীয় বিদ্যালয়ের অধ্যক্ষ সমেত তিন জনকে দফায় দফায় জেরাও করে সিআইডি-র ওই টিম। প্রয়োজনে শহর লাগোয়া কালপাথরের ওই কেন্দ্রীয় বিদ্যালয় ও সেখানকার কোয়ার্টারেও তাঁরা তদন্তে যাবেন বলে জানা গিয়েছে।



তদন্তে সিআইডি প্রতিনিধিরা — এই সময়

### বাঁকুড়া

বাঁকুড়ার পুলিশ সুপার ধৃতিমান সরকার বলেন, 'শুক্রবার অফিসিয়ালি এই ঘটনার তদন্তভার তুলে দেওয়া হয়েছে সিআইডি-র হাতে। তদন্তের ব্যাপারে জেলা পুলিশ সিআইডি-কে যাবতীয় সাহায্য করবে। শিশু বিক্রি ও পাচারের চেষ্টার অভিযোগে দিনকয়েক আগেই পুলিশের জালে ধরা পড়েছে চক্রের মোট ৭জন। ধৃতদের সেই তালিকায় রয়েছেন একটি কেন্দ্রীয় আবাসিক বিদ্যালয়ের অধ্যক্ষ কমলকুমার রাজোরিয়া। গ্রেপ্তার হয়েছেন ওই স্কুলেরই শিক্ষিকা সুষমা শর্মা ও তাঁর ব্যাককর্মী স্বামী সতীশ ঠাকুর। ঘটনায় ধরা পড়েছেন দুর্গাপুরের কাদা রোডের বাসিন্দা রিয়া বাদ্যকর, তাঁর মা সুনিতা বাদ্যকর ও তাঁদের এক আত্মীয়। এছাড়াও স্বপন দত্ত ও বিকাশ গুপ্তা নামে দুজন লিঙ্কম্যান ও এক জন গাড়ির চালককেও ধরেছে পুলিশ। অভিযুক্তদের পাকড়াও

করার পাশাপাশি নামাস থেকে ছবছর বয়সি পাঁচ শিশুকেও উদ্ধার করা হয়েছে। দুটি পুত্র ও তিনটি কন্যা সন্তান। তাঁদের রাখা হয়েছে ছাতনার একটি হোমে। এই কাণ্ডের শিকড় কতটা গভীরে তা খুঁজতে এরপর কোমর বেঁধে তদন্তে নামে বাঁকুড়া সদর থানার পুলিশ। সেই তদন্তভারই এবার গেল রাজ্যের সিআইডি-র হাতে। এদিকে এই কাণ্ডে ধৃত অধ্যক্ষ সমেত সকলের দৃষ্টান্তমূলক শাস্তির দাবিতে সরব হয়েছে বিভিন্ন মহল। ইতিমধ্যে বিক্ষোভ দেখিয়েছে বামপন্থী যুব সংগঠন ডিওয়াইএফআই। বৃহস্পতিবার জেলাশাসক ও জেলা বিদ্যালয় পরিদর্শক (মাধ্যমিক)-এর কাছে স্মারকলিপি পেশ করেছে পশ্চিমবঙ্গ তৃণমূল মাধ্যমিক শিক্ষক সমিতির বাঁকুড়া জেলা শাখা। শুক্রবার শহরে পথে নেমেছিল মহিলা তৃণমূল কংগ্রেস। মাতামতলায় অবস্থান বিক্ষোভের পাশাপাশি জেলাশাসকের কাছে তারাও পেশ করেছে স্মারকলিপি। কর্মসূচিতে উপস্থিত ছিলেন তৃণমূলের জেলা সভাপতি শ্যামল সাঁতরা, মহিলা নেত্রী মৌ সেনগুপ্ত।

# **ANNEXURE-XVIII**



To,  
The Director  
Ministry of Environment, Forest & Climate Change  
Govt, of India  
Indra Paryavaran Bhawan  
Jal Wing, 3rd Floor,  
Aliganj, Jorbagh Road  
New Delhi- 11003

Date-30.05.2022

**Sub:** Expansion of Grain based distillery from 120 to 240 KLPD & co-generation power plant from 3.5 MW to 8.0 MW within existing plant premises by M/s Globus Spirits Limited located at Plot no B7, Industrial Park, Panagarh, Tehsil Ausgram- II, District Purba Bardhaman, West Bengal - Consideration of Environment Clearance regarding.

**Ref:** F.No. J-11011/337/2013-IA II (I) Dated 22nd March 2021

The Environmental and CRZ clearance for the subject project was granted by Ministry of Environment, Forest & Climate Change (MoEF&CC) vide letter no. J-11011/337/2013-IA II (I) Dated 22nd March 2021. Subsequently, the Consent to Establish (CTE) and Consent to Operate (CTO) of the of the proposed project was also obtained from West Bengal Pollution Control Board vide memo no. 624-2N-09-/2020 ( E ) dated 13.09.2021 and 130-dr-Co-r/16/0122 dated 11.04.2022 respectively (Copy enclosed).

In connection of the above, it is hereby informed that M/s Globus Spirits Limited has started the operation of the said project from the End of April 2022.

Thanking You,

For, Globus Spirits Limited  
GLOBUS SPIRITS LIMITED

  
Authorized Signatory

Authorized Signatory



**Globus Spirits Limited**

(Corporate Identity Number: L74899DL1993PLC052177)

**Registered & Corporate Office:**

F-0, Ground Floor, The Mira Corporate Suites, Plot No. 1 & 2, Ishwar Nagar, Mathura Road, New Delhi 110065 Tel.: +011-66424400

**Works(1):** Village: Shyampur, Tehsil: Behror 301701 Distt.: Alwar (Rajasthan) Tel.: +91-08003592097

**Works(2):** Haryana Organics (A Unit of Globus Spirits Limited) 4 KM., Chulkana Road, Samalkha 132101 Distt.: Panipat (Haryana) Telefax: +91-180-2570122

**Works(3):** Associated Distilleries (A Unit of Globus Spirits Limited) Hisar Bye-Pass, National Highway, Hisar 125044 (Haryana) Tel.: +91-09896398187

**Works(4):** Village: Dhandua, Tehsil: Jandaha, Hajipur 844505 Distt.: Vaishali (Bihar) Tel.: +91-9917437425

**Works(5):** Plot No. B-7, Panagarh Industrial Park, Panagarh 713420 Distt.: Burdwan (West Bengal) Tel.: +91-9800297777

**Works(6):** Village: Olda, Block Baharagora, Tehsil: Ghatshila, Post: Borsol, Distt.: East Singhbhum, Jharkhand Mob.: +91-9708112376

F-Mail: corporateoffice@globusgroup.in Web: www.globusspirits.com